



Microresistivity Log

Pioneer Energy Services

API No.

15-009-26,008-00-00

Company **Scheck Oil Operations**

Well **Foughty No. 2**

Field **Foughty**

County

Barton

State

Kansas

Location

2310' FSL & 990' FWL

Sec: 17

Twp: 17s

Rge: 13w

Elevation

Permanent Datum Ground Level
Log Measured From Kelly Bushing
Drilling Measured From Kelly Bushing

Elevation 1980
K.B. 1986
D.F. 1980
G.L. 1980

Other Services
CNL/CDL
DIL

Date

8/11/2014

Run Number

Two

Depth Driller

3520

Depth Logger

3520

Bottom Logged Interval

3519

Top Log Interval

2800

Casing Driller

8.625 @ 473

Casing Logger

464

Bit Size

7.875

Type Fluid in Hole

Chemical

Salinity, ppm CL

8300

Density / Viscosity

9.15 47

pH / Fluid Loss

10.5 9.2

Source of Sample

Flowline

Rm @ Meas. Temp

.65 @ 78

Rmf @ Meas. Temp

.49 @ 78

Rmc @ Meas. Temp

.88 @ 78

Source of Rmf / Rmc

Charts

Rm @ BHT

.46 @ 111

Operating Rig Time

4 Hours

Max Rec. Temp. F

111

Equipment Number

108

Location

Hays

Recorded By

J Henrickson

Witnessed By

D Fischer

Steve Miller

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Hoisington Ks., 3 North on Susank Rd., 1 West, 1/2 North, East Into.



Database File: scheck_oil_operation_foughty_2hd.db
Dataset Pathname: DIL/schstk
Presentation Format: micro
Dataset Creation: Mon Aug 11 14:36:38 2014
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP (mV)	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0

LSPD








3250

3300

3350

3400




-30

-30

-30


-30



0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP (mV)	0

3450

3500



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0

LSPD