



**SUPERIOR**  
Hays,  
Kansas

**MICRO**  
LOG

Company VINCENT OIL CORPORATION  
Well OVERMYER #2-9  
Field WILDCAT  
County FORD  
State KANSAS

Company VINCENT OIL CORPORATION  
Well OVERMYER #2-9  
Field WILDCAT  
County FORD State KANSAS

Location: 2120' FSL & 1490' FEL  
API # : 15-057-20842-0000  
SEC 9 TWP 29S RGE 22W  
Permanent Datum GROUND LEVEL Elevation 2482  
Log Measured From KELLY BUSHING 12' A.G.L.  
Drilling Measured From KELLY BUSHING  
Elevation  
K.B. 2494  
D.F. 2492  
G.L. 2482

Date	9/16/12
Run Number	TWO
Depth Driller	5450
Depth Logger	5450
Bottom Logged Interval	5432
Top Log Interval	4250
Casing Driller	8 5/8" @ 659
Casing Logger	658
Bit Size	7 7/8
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.2/50
pH / Fluid Loss	10.5/11.2
Source of Sample	FLOWLINE
Rim @ Meas. Temp	.42 @ 80F
Rmf @ Meas. Temp	.31 @ 80F
Rmc @ Meas. Temp	.50 @ 80F
Source of Rmf / Rmc	MEASURED
Rim @ BHT	.26 @ 129F
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	
Maximum Recorded Temperature	129F
Equipment Number	680
Location	HAYS, KS.
Recorded By	JASON CAPPELLUCCI
Witnessed By	KEN LeBLANC

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

**Comments**

THANK YOU FOR USING SUPERIOR WELL SERVICE (785) 628-6395  
DIRECTIONS  
E. OF KINGSDOWN HWY 54 & RD. 127 - 1/4 MILE N. - W. INTO






**SUPERIOR**  
Hays,  
Kansas


**MAIN SECTION**


Database File: 009729pe.db  
 Dataset Pathname: pass6.1  
 Presentation Format: \_micro  
 Dataset Creation: Sun Sep 16 11:29:31 2012 by Calc Open-Cased 090629  
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		











4900


4950

5000

5050







SUPERIOR  
 Hays,  
 Kansas

# REPEAT SECTION


Database File: 009729pe.db  
 Dataset Pathname: pass5.1  
 Presentation Format: \_micro  
 Dataset Creation: Sun Sep 16 11:26:36 2012 by Calc Open-Cased 090629  
 Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
---	------------------	-----	------	---	----------------	----

6 CALIPER (in) 16 10 (ft3) 0 0

MEL2.0 (Ohm-m) 40

TBHV  
0 (ft3) 10





### Calibration Report

Database File: 009729pe.db  
 Dataset Pathname: pass6.1  
 Dataset Creation: Sun Sep 16 11:29:31 2012 by Calc Open-Cased 090629

### MICRO Calibration Report

Serial Number:	MICRO6	
Tool Model:	PROBE	
Performed:	Thu Aug 16 14:43:41 2012	
Caliper Calibration:	Gain=6.253	Offset=-1.608
References	Low Cal	High Cal
Readings	5.800	13.000
	1.178	2.330
1.5" Calibration:	Gain=30.075	Offset=-0.200
References	Low Cal	High Cal
Readings	0.000	20.000
	0.004	1.196
2" Calibration:	Gain=30.041	Offset=0.000
References	Low Cal	High Cal
	0.000	20.000

Readings

0.006

0.913

Gamma Ray Calibration Report

Serial Number:	#8	
Tool Model:	OPEN	
Performed:	Mon Jun 13 16:56:43 2011	
Calibrator Value:	150.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	175.0	cps
Sensitivity:	0.8371	GAPI/cps