



MIDWEST SURVEYS

LOGGING - PERFORATING - CONSULTING SERVICES
 P.O. Box 68, Osawatomie, KS 66864
 913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No.

API # 15-121-29,104

Company **Haas Petroleum, LLC.**
 Well **North Cone No. I-5HP**
 Field **Paola / Rantoul**
 County **Miami** State **Kansas**

Location	965' FSL & 1330' FEL SE-NE-SW-SE		Other Services
			Perforate
Sec. 11	Twp. 16s	Rge. 21e	Elevation
Permanent Datum	GL	Elevation NA	K.B. NA
Log Measured From	GL		D.F. NA
Drilling Measured From	GL		G.L. NA

Date	11-13-2012
Run Number	One
Depth Driller	730.0
Depth Logger	720.0
Bottom Logged Interval	719.0
Top Log Interval	20.0
Fluid Level	Full
Type Fluid	Water
Density / Viscosity	NA
Salinity - PPM Cl	NA
Max Recorded Temp	NA
Estimated Cement Top	0.0
Equipment No.	104
Location	Osawatomie
Recorded By	Gary Windisch
Witnessed By	John Haas

RUN No.	BORE-HOLE RECORD			CASING RECORD			
	BIT	FROM	TO	SIZE	WGT.	FROM	TO
One	9.875"	00	20.0	7.00"		0.0	20.0
Two	6.25"	20.0	730.0	2.875"		0.0	720.0

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
Sky Drilling

Database File: cone5ihpn.db
 Dataset Pathname: pass1
 Presentation Format: gr-n-ccl
 Dataset Creation: Tue Nov 13 09:20:53 2012 by Log SCH 111116
 Charted by: Depth in Feet scaled 1:240

0 Gamma Ray (cps) 150 100 180 Neutron (cps)







