



MIDWEST SURVEYS
LOGGING - PERFORATING - CONSULTING SERVICES
P.O. Box 68, Osawatomie, KS 66064
913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No.

API # 15-207-28,320

Company **Haas Petroleum, LLC.**

Well **Old Rhea No. 6-HP**

Field **Winterscheid**

County **Woodson** State **Kansas**

Location **1060' FNL & 950' FWL
SW-SE-NW-NW**

Other Services

Perforate

Sec. **24** Twp. **24s** Rge. **13e**

Elevation

Permanent Datum **GL** Elevation **1108'**

Log Measured From **GL**

K.B. 1112'

Drilling Measured From **KB 4' From GL**

D.F. NA

G.L. 1108'

Date	1-08-2013		
Run Number	One		
Depth Driller	1700.0		
Depth Logger	1692.0		
Bottom Logged Interval	1691.0		
Top Log Interval	200.0		
Fluid Level	Full		
Type Fluid	Water		
Density / Viscosity	NA		
Salinity - PPM Cl	NA		
Max Recorded Temp	NA		
Estimated Cement Top	0.0		
Equipment No.	Location	104	Osawatomie
Recorded By	Gary Windisch		
Witnessed By	Mark Haas		

RUN	BORE-HOLE RECORD			CASING RECORD			
No.	BIT	FROM	TO	SIZE	WGT.	FROM	TO
One	12.25"	00	40.0	8.625"	20.0#	0.0	40.0
Two	6.75"	40.0	1700.0	4.50"	10.5#	0.0	1693.0

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
Skyy Drilling Rig -2

Database File: rhea6.db

Dataset Pathname: pass1

Presentation Format: gr-n-ccl

Dataset Creation: Tue Jan 08 13:49:31 2013 by Log SCH 111116

Charted by: Depth in Feet scaled 1:240

0 Gamma Ray (cps)

150

100

Neutron (cps)

180

200













