Pioneer Energy Services

Microresistivity Log

API No.	15-203-20,192-00-00
Company	Raymond Oil Company, Inc.
Well	Helen Wells Trust No.2
Field	Wildcat
County	Wichita
State	Kansas
Location	243' FNL & 850' FWL
Sec:	18
Twp:	20S
Rge:	35W
Other Services	CNL/CDL DIL
Permanent Datum	Ground Level
Elevation	3156
Log Measured From	Kelly Bushing
	11 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing
Elevation	K.B. 3167 D.F. G.L. 3156

Date	11/10/2012		
Run Number	One		
Depth Driller	5003		
Depth Logger	5006		
Bottom Logged Interval	4650		
Top Log Interval	3450		
Casing Driller	8.625 @ 265		
Casing Logger	265		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity,ppm CL	5,000		
Density / Viscosity	9.2 / 60		
pH / Fluid Loss	10.0 / 7.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	.75 @ 64		
Rmf @ Meas. Temp	.56 @ 64		
Rmc @ Meas. Temp	1.01 @ 64		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.38 @ 126		
Operating Rig Time	4 Hours		
Max Rec. Temp. F	126		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desaire		
Witnessed By	Max Lovely		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Marienthal KS, 1/2 W,
11S, 1/2 W, S Into


Database File:	raymondhd.db
Dataset Pathname:	dil/raystk
Presentation Format:	micro
Dataset Creation:	Sat Nov 10 03:32:21 2012
Charted by:	Depth in Feet scaled 1:240


0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0


0	Micro Inverese 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0


LSPD





3650
3700
3750
3800
3850
-41
-41
-41
-41
-41


3900
-41
3950
-41
4000
-41
4050
-39


4100
4150
4200
4250
-39
-39
-39
-39


4300
-39
4350
-39
4400
-39
4450
-39
4500
-40


4550
4600
4650
-40
-40
-39
0 Gamma Ray 150
6 MCAL (GAPI) 16
2.875 Mud Cake (GAPI) 7.875
-200 SP 0
0 Micro Inverese 1 X 1 40
0 Micro Normal 2'' 40
10000 Line Weight 0
LSPD