



Dual Compensated Porosity Log

Pioneer Energy Services

API No.

15-007-22,254-00-01

Company Chieftain Oil Company, Inc.

Well Chieftain No.3

Field

County Barber

State Kansas

Location

SW SW NE
2970' FSL & 2310' FEL

Other Services
DIL
MEL

Sec: 35

Twp: 31 S

Rge: 12 W

Elevation

Permanent Datum Ground Level Elevation 1615
Log Measured From Kelly Bushing 8 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date 10/16/2012

Run Number One

Type Log CNL / CDL

Depth Driller 4790

Depth Logger 4788

Bottom Logged Interval 4767

Top Logged Interval 3400

Type Fluid In Hole Chemical

Salinity, PPM CL 5100

Density 8.9

Level Full

Max. Rec. Temp. F 124

Operating Rig Time 4 Hours

Equipment -- Location 15 Days

Recorded By D Kerr

Witnessed By Arden Ratzlaff

Borehole Record

Run No. Bit From To Size Wgt. From To

1 12.25 00 258 8.625 24# 00 258

2 7.875 258 4790


Comments


Thank you for using Pioneer Energy Services
www.pioneerres.com
785 625 3858


Medicine Lodge KS, 1/2 North to Blue Gates,
West Into, Keep Right at Y

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
		Correction	0.25
LSPD			







Database File: c:\warrior\data\chieftain_chieftain #3\chieftain_chieftain_3hd.db
Dataset Pathname: DIL/chfstk
Presentation Format: cndlspec
Dataset Creation: Tue Oct 16 07:54:41 2012
Charted by: Depth in Feet scaled 1:240

