



MIDWEST SURVEYS
LOGGING - PERFORATING - CONSULTING SERVICES
P.O. Box 68, Osawatomie, KS 66064
913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No.		Company TDR Construction, Inc.					
		Well Hoehn No. 19-HP					
		Field Paola - Rantoul					
		County Franklin		State		Kansas	
		Location				Other Services	
		2250' FNL & 1155' FWL NE-SE-SW-NW				Perforate	
		Sec. 5	Twp. 16s	Rge. 21e	Elevation		
		Permanent Datum	GL	Elevation	K.B. N/A		
		Log Measured From	GL		D.F. N/A		
		Drilling Measured From	GL		G.L. N/A		
Date	02-01-2013						
Run Number	One						
Depth Driller	780.0						
Depth Logger	729.4						
Bottom Logged Interval	728.4						
Top Log Interval	20.0						
Fluid Level	Full						
Type Fluid	Water						
Density / Viscosity	NA						
Salinity - PPM Cl	NA						
Max. Recorded Temp	NA						
Estimated Cement Top	0.0						
Equipment No.	107	Osawatimie					
Recorded By	Steve Windisch						
Witnessed By	Lance Town						
RUN	BORE-HOLE RECORD			CASING RECORD			
No.	BIT	FROM	TO	SIZE	WGT.	FROM	TO
One	9.875"	0.0	21.0	7.00"	17.0 #	0.0	21.0
Two	5.625"	21.0	780.0	2.875"	6.5 #	0.0	732.0

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
Skyy Drilling LLC

Database File: hoehn19.db
Dataset Pathname: pass1
Presentation Format: gr-n-ccl
Dataset Creation: Fri Feb 01 14:47:40 2013 by Log SCH 111116
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (cps)	150	10	Neutron (cps)	2100
150	Gamma Ray (cps)	300			



0	Gamma Ray (cps)	150	10	Neutron (cps)	2100
150	Gamma Ray (cps)	300			