



NABORS

**COMPLETION
& PRODUCTION
SERVICES CO.**

**MICRO
LOG**

Company LOTUS OPERATING COMPANY, LLC.
Well #2 BURGESS
Field STRANATHAN
County BARBER
State KANSAS

Company LOTUS OPERATING COMPANY, LLC.
Well #2 BURGESS
Field STRANATHAN
County BARBER
State KANSAS

Location: API # : 15-007-23968-0000

1485' FNL & 990' FEL

SEC 35 TWP 34S RGE 12W

Permanent Datum GROUND LEVEL Elevation 1426
Log Measured From KELLY BUSHING 13' A.G.L.
Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL/PE
DIL/SONIC
Elevation
K.B. 1439
D.F. 1437
G.L. 1426

Date 11/26/12

Run Number TWO

Depth Driller 5486

Depth Logger 5488

Bottom Logged Interval 5466

Top Log Interval 3700

Casing Driller 10 3/4" @ 285'

Casing Logger 285

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.5/42

pH / Fluid Loss 10.5/9.6

Source of Sample FLOWLINE

Rin @ Meas. Temp .850 @ 100F

Rmf @ Meas. Temp .638 @ 100F

Rmc @ Meas. Temp 1.02 @ 100F

Source of Rmf / Rmc MEASUREMENT

Rin @ BHT .659 @ 129F

Time Circulation Stopped 6 HOURS

Time Logger on Bottom 9:00 P.M.

Maximum Recorded Temperature 129F

Equipment Number 4854

Location HAYS, KANSAS

Recorded By JEFF LUEBBERS

Witnessed By TIM HELLMAN

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE HAYS, KANSAS (785) 628-6395
DIRECTIONS

MEDICINE LODGE, KS. (HWY 160 & 281) 16S. ON HWY 281 TO "RATTLESNAKE RD.", 1W., 1/2S., W. INTO



NABORS

**COMPLETION
& PRODUCTION**

MAIN SECTION

Database File:

010022pe.db

Dataset Pathname:

pass6.2

Presentation Format:

micro


Dataset Creation:


Tue Nov 27 00:49:40 2012


Charted by:

Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		








4100


4150

4200

4250

4300







4350

4400

4450

4500






4550


4600

4650

4700

4750







4800

4850

4900

4950








5000


5050

5100

5150











NABORS
COMPLETION
& PRODUCTION
SERVICES CO.

REPEAT SECTION

Database File: 010022pe.db
 Dataset Pathname: pass5.1
 Presentation Format: micro
 Dataset Creation: Tue Nov 27 00:05:57 2012
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		








5300

5350

5400

5450



																			
0 GAMMA RAY (GAPI) 150					ABHV					0 MEL1.5 (Ohm-m) 40									
6 CALIPER (in) 16					10 (ft3) 0					0 MEL2.0 (Ohm-m) 40									
0 MINMK 20					TBHV														
					0 (ft3) 10														