



NABORS

**COMPLETION
& PRODUCTION
SERVICES CO.**

**SONIC
LOG**

Company		BLURIDGE PETROLEUM CORP.	
Well		NORMAN #1-1	
Field		WILDCAT	
County		RAWLINS	
State		KANSAS	
Company		BLUERIDGE PETROLEUM CORPORATION	
Well		NORMAN #1-1	
Field		WILDCAT	
County		RAWLINS	
State		KANSAS	
Location:		API # : 15-153-21077-0000	
Permanent Datum		GROUND LEVEL	
Log Measured From		KELLY BUSHING 5' A.G.L.	
Drilling Measured From		KELLY BUSHING	
SEC 11 TWP 4S RGE 32W		Elevation	
1284' FNL & 1279' FWL		CDL/CNL/PE	
SE - SE - NW - NW		DIL/MEL	
Date		11/17/14	
Run Number		TWO	
Depth Driller		4540	
Depth Logger		4520	
Bottom Logged Interval		4512	
Top Log Interval		200	
Casing Driller		8 5/8"@267'	
Casing Logger		265	
Bit Size		7 7/8"	
Type Fluid in Hole		CHEMICAL MUD	
Density / Viscosity		8.9/44	
pH / Fluid Loss		10.0/7.6	
Source of Sample		FLOWLINE	
Rim @ Meas. Temp		1.60@70F	
Rinf @ Meas. Temp		1.20@70F	
Rinc @ Meas. Temp		1.92@70F	
Source of Rinf / Rinc		MEASUREMENT	
Rim @ BHT		.926@121F	
Time Circulation Stopped		5 HOURS	
Time Logger on Bottom		11:00 A.M.	
Maximum Recorded Temperature		121F	
Equipment Number		4854	
Location		HAYS, KANSAS	
Recorded By		JEFF LUEBBERS	
Witnessed By		JIM MUSGROVE	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING "NABORS" HAYS, KANSAS (785) 628-6395
DIRECTIONS
GEM, KS., 23 N. ON "RD. 27" TO "RD. L", 1/2E., S. INTO



NABORS

**COMPLETION
& PRODUCTION**

MAIN SECTION

Database File:

25914pe.db

Dataset Pathname:

pass6.7

Presentation Format:

slt


Dataset Creation:


Mon Nov 17 15:42:59 2014 by Calc SOC 120430



Charted by:


Depth in Feet scaled 1:240



0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	
-----			-----				
0	MINMK	20	TBHV	0	ITT (msec)	20	
			0 (ft3)	10			
















1300

1350

1400

1450








1500


1550

1600

1650










1950


2000

2050

2100









2400

2450

2500

2550







2600


2650

2700

2750









3050

3100

3150

3200






3250


3300

3350

3400

3450







3500

3550

3600

3650







3700

3750

3800

3850






3900



3950


4000

4050

4100







REPEAT SECTION

Database File: 25914pe.db
 Dataset Pathname: pass5.3
 Presentation Format: slt
 Dataset Creation: Mon Nov 17 14:36:26 2014 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV		140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10	(ft3)	0	30	SONIC POROSITY (pu)		-10

0	MINMK	20	TBHV		0	ITT (msec)		20	
			0	(ft3)	10				

