



PIONEER

Pioneer Energy Services

**Sonic Cement
Bond Log**

API No.

15-135-25515-00-00

Company Trans Pacific Oil Corporation

Well Melody Unit No. 3

Field Nexus

County Ness State Kansas

Location

2500' FSL & 1065' FWL

Other Services

Sec: 2 Twp: 18 S Rge: 24 W

Elevation

Permanent Datum Ground Level Elevation 2362
Log Measured From Kelly Bushing 9 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 2371
D.F. 2362
G.L. 2362

Run Number

One

Date Survey

01/11/2013

Date Cementing

01/01/2013

Type Cementing Operation

Primary

Depth Driller

4470

Depth Logger

4425

Logged Interval

4424 to 3250

Casing Driller

4.5 @ TD

Float Collar -- D.V. Tool

1651 @

Squeeze Depth

////

Amount & Type Cement

////

Amount & Type Admix

////

Type Fluid In Hole

Water

Fluid Level

210'

Salinity PPM CL

////

Weight lb/gal -- Vis.

////

Approx. Logged Cement Top

3386

Calculated Cement Top

////

Max. Hole Temperature

123

Tool No.

RBT 3-6

Spacing Recorded

3'-5'

Equipment -- Location

18 D. Hagan

Recorded By

Moe

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Pioneer Energy Services
785.625.3858

Ness City, 4 North to 170thRd. 3 West to P rd.
1/2 North, East into

0	Gamma Ray	150	amp3ft	5	Casing Collars	-0.7	200	wvf5ft	1200
			(mV)		Pipe Amplitude (mV)	100			
			-100 10		Amplified Amplitude (mV)	20			



0	Gamma Ray	150	amp3ft	5	Casing Collars	-0.7	200	wvf5ft	1200
			(mV)		Pipe Amplitude (mV)	100			
			100 10						







Pioneer Energy Services




Main Pass




Database File: transpacifcoilcorp_meodyunit_3.db
Dataset Pathname: grcbl/pass4
Presentation Format: cbldr
Dataset Creation: Fri Jan 11 08:45:10 2013 by Log 7.0 B1
Charted by: Depth in Feet scaled 1:240




0	Gamma Ray	150	amp3ft	5	Casing Collars	-0.7	200	wvf5ft	1200
			(mV)	0	Pipe Amplitude (mV)	100			
			-100 10	0	Amplified Amplitude (mV)	20			















Repeat Section

Depth in Feet scaled 1:240



[illegible]