



Pioneer Energy Services

Dual Compensated Porosity Log

API No.	15-163-24,111-00-00		
Company	Gore Oil Company		
Well	Toelkes No. 1		
Field	O' Brien		
County	Rooks		
Location	550' FSL & 2,970' FEL		
	Sec: 11	Twp: 9S	Rge: 18W
			Elevation 2065
			Other Services DILMEL
Log Measured From	Kelly Bushing	8	Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing		
Date	5/20/2013		
Run Number	One		
Type Log	CNL / CDL		
Depth Driller	3580		
Depth Logger	3578		
Bottom Logged Interval	3557		
Top Logged Interval	2800		
Type Fluid In Hole	Chemical		
Salinity, PPM CL	2700		
Density	9.1		
Level	Full		
Max. Rec. Temp. F	112		
Operating Rig Time	4 Hours		
Equipment -- Location	108 Hays		
Recorded By	J. Long		
Witnessed By	Marc Downing		

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	263	8.625	23#	00	263
Two	7.875	263	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858

 Plainville, 3 North, 100 Yards West, North Into

Database File: gore_toelkes_1hd.db
 Dataset Pathname: dil/gorestck
 Presentation Format: cdl
 Dataset Creation: Mon May 20 14:04:01 2013
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray (GAPI)	150
6	Caliper (in)	16

30	Compensated Density (pu)			-10	
2	Bulk Density (g/cc)			3	
15000	Line Tension (lb)			0	
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25

LSPD
(ft/min)











