



**COMPLETION
& PRODUCTION
SERVICES CO.**

**RADIATION
GUARD LOG**


Company	BAIRD OIL COMPANY, INC.		
Well	WEISER - FIELD UNIT #1-23		
Field	WILDCAT		
County	NORTON	State	KANSAS
Location:	API # : 15-137-20641-0000		Other Services
2615' FSL & 1565' FWL			
SEC 23 TWP 3S RGE 22W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2394
Log Measured From	KELLY BUSHING 8' A.G.L.		K.B. 2402
Drilling Measured From	KELLY BUSHING		D.F. 2400
			G.L. 2394
Date	4/9/13		
Run Number	ONE		
Depth Driller	4035		
Depth Logger	4034		
Bottom Logged Interval	4033		
Top Log Interval	3250		
Casing Driller	261		
Casing Logger	260		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.5/7.2	CHLORIDES 1.100	
pH / Fluid Loss	10.0/6.6		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	1.20 @ 65F		
Rmf @ Meas. Temp	0.90 @ 65F		
Rmc @ Meas. Temp	1.44 @ 65F		
Source of Rmf / Rmc	MEASURED		
Rim @ BHT	0.67 @ 116F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	116F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	JEFF GRONEWEG		
Witnessed By	RICHARD BELL		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

NABORS COMPLETION & PRODUCTION SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: HILL CITY, KS - NORTH ON HWY 283 TO RD Q - 6 MILES EAST
INTO 1/2 MILE NORTH & 1/4 MILE EAST



Database File: 010982rag.db
Dataset Pathname: pass3.4
Presentation Format: rag
Dataset Creation: Tue Apr 09 16:30:06 2013 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240








3300


3350

3400

3450








3750

3800



3850

3900



40 30 20 15 10 5 1

POROSITY LIMESTONE (FLUID FILLED HOLE)



REPEAT SECTION

Database File: 010982rag.db
 Dataset Pathname: pass2.2
 Presentation Format: rag
 Dataset Creation: Tue Apr 09 16:32:46 2013 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0.8	GUARD (Ohm-m)	2000
-100	SP (mV)	100	10 (ft3) 0 0	0	NEUTRON (NAPI)	1000
6	CALIPER (in)	16	TBHV			
			0 (ft3) 10			

