



**Weatherford**

**COMPACT PHOTO DENSITY  
COMPENSATED NEUTRON  
LOG**

COMPANY O'BRIEN ENERGY RESOURCES CORP.  
WELL CLAYTON #1-33  
FIELD MOHLER  
PROVINCE/COUNTY MEADE  
COUNTRY/STATE U.S.A. / KANSAS  
LOCATION 990' FNL & 1650' FEL  
SE SW NE

|                                 |                   |          |                |     |
|---------------------------------|-------------------|----------|----------------|-----|
| SEC                             | TWP               | RGE      | Other Services |     |
| 33                              | 33S               | 29W      | MA/MFE         | MML |
| API Number                      | 15-119-21334      |          |                |     |
| Permit Number                   |                   |          |                |     |
| Permanent Datum G.L., Elevation | 2566 feet         |          |                |     |
| Log Measured From               | KB                |          |                |     |
| Drilling Measured From          | K.B.              |          |                |     |
| Date                            | 20-JAN-2013       |          |                |     |
| Run Number                      | ONE               |          |                |     |
| Service Order                   | 3537848           |          |                |     |
| Depth Driller                   | 6413.00 feet      |          |                |     |
| Depth Logger                    | 6412.00 feet      |          |                |     |
| First Reading                   | 6392.00 feet      |          |                |     |
| Last Reading                    | 4000.00 feet      |          |                |     |
| Casing Driller                  | 1480.00 feet      |          |                |     |
| Casing Logger                   | 1480.00 inches    |          |                |     |
| Bit Size                        | 7.875             |          |                |     |
| Hole Fluid Type                 | CHEMICAL          |          |                |     |
| Density / Viscosity             | 9.20 lb/USg       | 55.00 CP |                |     |
| PH / Fluid Loss                 | 9.50              | 9.50     |                |     |
| Sample Source                   | FLOWLINE          |          |                |     |
| Rm @ Measured Temp              | 0.96 @ 84.0 ohm-m |          |                |     |
| Rmf @ Measured Temp             | 0.77 @ 84.0 ohm-m |          |                |     |
| Rmc @ Measured Temp             | 1.15 @ 84.0 ohm-m |          |                |     |
| Source Rmf / Rmc                | CALC              | CALC     |                |     |
| Rm @ BHT                        | 0.65 @124.0 ohm-m |          |                |     |
| Time Since Circulation          | 5 HOURS           |          |                |     |
| Max Recorded Temp               | 124.00            | deg F    |                |     |
| Equipment / Base                | 13057             | LIB      |                |     |
| Recorded By                     | LYNN SCOTT        |          |                |     |
| Witnessed By                    | PETER DEBENHAM    |          |                |     |
| IOB#                            | LB13-017          |          |                |     |

|             |         |
|-------------|---------|
| Elevations: | feet    |
| KB          | 2578.00 |
| DF          | 2577.00 |
| GL          | 2566.00 |

**BOREHOLE RECORD**

Last Edited: 20-JAN-2013 18:36

|                    |                    |                  |
|--------------------|--------------------|------------------|
| Bit Size<br>inches | Depth From<br>feet | Depth To<br>feet |
| 7.875              | 1480.00            | 6412.00          |

**CASING RECORD**

|         |                |                    |                    |                     |
|---------|----------------|--------------------|--------------------|---------------------|
| Type    | Size<br>inches | Depth From<br>feet | Shoe Depth<br>feet | Weight<br>pounds/ft |
| SURFACE | 8.625          | 0.00               | 1480.00            | 24.00               |

**REMARKS**


Tools Ran: MCG, MML, MDN, MPD, MFE, MAI ran in combination.  
Hardware Used: MDN Dual bowspring used. MPD 8 inch profile plate used. MAI and MFE 0.5 Inch standoffs used.  
2.71 g/cc Limestone Density Matrix used to calculate porosity.  
All intervals logged and scaled per customer's request.  
Tight pulls, washouts and borehole rugosity will affect data quality.  
Total hole volume from TD to Surface Casing= 1917 cu. ft.  
Annular volume with 4.5 inch production casing from TD to 4000 ft.= 573 cu. ft.  
Service order: #3537848  
Rig: Duke #6  
Engineer: L. Scott  
Operator(s): B. Reeves


Software duplicates the pH onto the fluid loss. The fluid loss is 6.0.


All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not, guarantee the accuracy or correctness of any interpretations, and we shall not, except in the case of gross or wilful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or

**5 INCH MAIN**

Depth Based Data - Maximum Sampling Increment 10.0cm Plotted on 20-JAN-2013 21:58  
 Filename: C:\Minimus 13.04.8492\Data\O'Brien Clayton #1-33\O'Brien Clayton 1-33\_003.dta Recorded on 20-JAN-2013 19:23  
 System Versions: Logged with 13.04.8492 Processed with 13.04.8492 Plotted with 13.04.8492







109°

4550

109°

4600

110°

600

4650

400


110°


4700


111°



Bit Size


Limestone Density Por.

















5850

121°

5900

121°

5950

100

121°

6000

122°

6050

Bit Size

Density Caliper

Gamma Ray



DST Uphole Tension





PE


Limestone Density Por.

Density Correction


Limestone Neutron Por.







Replay  
Scale  
1:240




Depth Based Data - Maximum Sampling Increment 10.0cm Plotted on 20-JAN-2013 21:58  
 Filename: C:\Minimus 13.04.8492\Data\O'Brien Clayton #1-33\O'Brien Clayton 1-33\_003.dta Recorded on 20-JAN-2013 19:23  
 System Versions: Logged with 13.04.8492 Processed with 13.04.8492 Plotted with 13.04.8492

5 INCH MAIN

10 INCH HI-RES

Depth Based Data - Maximum Sampling Increment 2.5cm Plotted on 20-JAN-2013 21:58  
 Filename: C:\Minimus 13.04.8492\Data\O'Brien Clayton #1-33\O'Brien Clayton 1-33\_001.dta Recorded on 20-JAN-2013 18:24  
 System Versions: Logged with 13.04.8492 Plotted with 13.04.8492





Depth  
in  
Feet


Borehole  
Temp in  
deg F

HVI  
every  
10 cu ft

Annular  
Integral  
every  
10 cu ft

Replay  
Scale  
1:120






117°


5750



118°


5800

200










120°  
6100  
100  
122°  
6150



← Bit Size  
← Density Caliper  
← Gamma Ray  
DST Uphole Tension →


121°

6200





121°

6250

PE →  
Sandstone Density Por. →  
Density Correction →  
Sandstone Neutron Por. →










REPEAT SECTION

Depth Based Data - Maximum Sampling Increment 10.0cm  
Plotted on 20-JAN-2013 21:58  
Filename: C:\Minimus 13.04.8492\Data\O'Brien Clayton #1-33\O'Brien Clayton 1-33\_002.dta  
Recorded on 20-JAN-2013 18:24  
System Versions: Logged with 13.04.8492 Processed with 13.04.8492 Plotted with 13.04.8492





118°

5800

200

118°

5850

118°

5900


119°



5950


100

119°

6000








Depth Based Data - Maximum Sampling Increment 10.0cm Plotted on 20-JAN-2013 21:58  
 Filename: C:\Minimus 13.04.8492\Data\O'Brien Clayton #1-33\O'Brien Clayton 1-33\_002.dta Recorded on 20-JAN-2013 18:24  
 System Versions: Logged with 13.04.8492 Processed with 13.04.8492 Plotted with 13.04.8492

↑ **REPEAT SECTION** ↑

↓ **5 INCH MAIN** ↓

Depth Based Data - Maximum Sampling Increment 10.0cm Plotted on 20-JAN-2013 21:58  
 Filename: C:\Minimus 13.04.8492\Data\O'Brien Clayton #1-33\O'Brien Clayton 1-33\_003.dta Recorded on 20-JAN-2013 19:23  
 System Versions: Logged with 13.04.8492 Processed with 13.04.8492 Plotted with 13.04.8492



DST Uphole Tension  
pounds

5000 0

Replay  
Scale  
1:240

4000

104°

4050

105°


800  
4100


105°



4150


106°



0 5 10 -0.50 0 0.50




































Depth Based Data - Maximum Sampling Increment 10.0cm  
 Plotted on 20-JAN-2013 21:58  
 Filename: C:\Minimus 13.04.8492\Data\O'Brien Clayton #1-33\O'Brien Clayton 1-33\_003.dta  
 Recorded on 20-JAN-2013 19:23  
 System Versions: Logged with 13.04.8492 Processed with 13.04.8492 Plotted with 13.04.8492

↑ **5 INCH MAIN** ↑


↓ **10 INCH HI-RES** ↓



Depth Based Data - Maximum Sampling Increment 2.5cm  
 Plotted on 20-JAN-2013 21:58  
 Filename: C:\Minimus 13.04.8492\Data\O'Brien Clayton #1-33\O'Brien Clayton 1-33\_001.dta  
 Recorded on 20-JAN-2013 18:24  
 System Versions: Logged with 13.04.8492 Plotted with 13.04.8492





HVI every 10 cu ft  
 ←  
 Annular Integral every 10 cu ft  
 →





118°

PE

Sandstone Density Por

Vector Processed Density



Density Correction


5800

200

118°


5850








119°

120°











121°


6250

121°

6300









Depth Based Data - Maximum Sampling Increment 2.5cm Plotted on 20-JAN-2013 21:58  
 Filename: C:\Minimus 13.04.8492\Data\O'Brien Clayton #1-33\O'Brien Clayton 1-33\_001.dta Recorded on 20-JAN-2013 18:24  
 System Versions: Logged with 13.04.8492 Plotted with 13.04.8492



↑ 10 INCH HI-RES ↑


↓ REPEAT SECTION ↓


Depth Based Data - Maximum Sampling Increment 10.0cm Plotted on 20-JAN-2013 21:58  
 Filename: C:\Minimus 13.04.8492\Data\O'Brien Clayton #1-33\O'Brien Clayton 1-33\_002.dta Recorded on 20-JAN-2013 18:24  
 System Versions: Logged with 13.04.8492 Processed with 13.04.8492 Plotted with 13.04.8492














121°  
 6350  
 6400  
 0  
 6442  
 Depth in Feet



0 150  
 150 300  
 6 16  
 6 16  
 5000 0  
 Borehole Temp in deg F  
 HVI every 10 cu ft  
 Annular Integral every 10 cu ft  
 Replay Scale 1:240



↑ REPEAT SECTION ↑

**BEFORE SURVEY CALIBRATION**

C:\Minimus 13.04.8492\Data\O'Brien Clayton #1-33\O'Brien Clayton 1-33\_002.dta

**General Constants All 000**

Last Edited on 20-JAN-2013,16:54

**General Parameters**

|                             |          |            |
|-----------------------------|----------|------------|
| Mud Resistivity             | 0.960    | ohm-metres |
| Mud Resistivity Temperature | 84.000   | degrees F  |
| Water Level                 | 0.000    | feet       |
| Borehole Fluid Processing   | Wet Hole |            |

**Hole/Annular Volume and Differential Caliper Parameters**

|                                  |                 |        |
|----------------------------------|-----------------|--------|
| HVOL Method                      | Single Caliper  |        |
| HVOL Caliper 1                   | Density Caliper |        |
| HVOL Caliper 2                   | N/A             |        |
| Annular Volume Diameter          | 4.500           | inches |
| Caliper for Differential Caliper | Density Caliper |        |

**Rwa Parameters**

|                  |                        |  |
|------------------|------------------------|--|
| Porosity used    | Base Density Porosity  |  |
| Resistivity used | Array Ind. Four Res Rt |  |
| RWA Constant A   | 1.000                  |  |
| RWA Constant M   | 2.000                  |  |

**Down-hole Tension Calibration SMS 0**

Field Calibration on 18-JAN-2013 01:57

| Reading No | Measured | Calibrated (lbs) |
|------------|----------|------------------|
| 1          | 15220.96 | 0.00             |
| 2          | 15827.69 | 390.00           |

**SP Calibration MCG-C 208**

Field Calibration on 27-DEC-2012 10:06

|             | Measured | Calibrated (mV) |
|-------------|----------|-----------------|
| Reference 1 | 100.9    | 100.0           |
| Reference 2 | -100.6   | -100.0          |

**High Resolution Temperature Calibration MCG-C 208**

Field Calibration on 05-NOV-2012,14:26

|       | Measured | Calibrated(Deg F) |
|-------|----------|-------------------|
| Lower | 50.00    | 50.00             |
| Upper | 75.00    | 75.00             |

**High Resolution Temperature Constants MCG-C 208**

Last Edited on 05-NOV-2012,14:25

Pre-filter Length 11

**Gamma Calibration MCG-C 208**

Field Calibration on 20-JAN-2013 14:04

|                    | Measured | Calibrated (API) |
|--------------------|----------|------------------|
| Background         | 71       | 50               |
| Calibrator (Gross) | 1115     | 775              |
| Calibrator (Net)   | 1044     | 725              |

**Gamma Constants MCG-C 208**

Last Edited on 20-JAN-2013,16:54

|                               |                 |       |
|-------------------------------|-----------------|-------|
| Gamma Calibrator Number       | GR38            |       |
| Mud Density                   | 1.10            | gm/cc |
| Caliper Source for Processing | Density Caliper |       |
| Tool Position                 | Eccentred       |       |
| Concentration of KCl          | 0.00            | kppm  |

**Micro Laterolog Calibration MMR-A 11**

Base Calibration on 31-DEC-1999 00:00

Field Check on 31-DEC-1999 00:00

Base Calibration

|       | Measured |       | Calibrated (ohm-m) |  |
|-------|----------|-------|--------------------|--|
| Ref 1 | Ref 2    | Ref 1 | Ref 2              |  |
| 0.0   | 0.0      | 0.0   | 0.0                |  |

|                    |                     |
|--------------------|---------------------|
| Base Check (ohm-m) | Field Check (ohm-m) |
| 0.0                | 0.0                 |

Micro Laterolog Constants MMR-A 11

Last Edited on 12-NOV-2012,01:59

Pad Type 6 in Solid Nylon B23059  
 Micro Laterolog K Factor 0.0128  
 Standoff Offset 0.0000 inches

Mudcake Thickness Correction Constants  
 Mud Cake Source Constant Value  
 Mud Cake Thickness 0.4000 inches  
 Mud Cake Thickness Caliper N/A  
 Mud Cake Resistivity 0.1500 ohm-m  
 Mud Cake Resistivity Temp. 68.00 Deg F  
 Mud Cake Resistivity Source Constant Value  
 Temp. Source Rmc Correc. N/A

Caliper Calibration MMR-A 11

Base Calibration on 16-JAN-2013 10:32  
 Field Calibration on 20-JAN-2013 13:49

Base Calibration

| Reading No | Measured | Calibrator Size (in) |
|------------|----------|----------------------|
| 1          | 13881    | 5.98                 |
| 2          | 17138    | 7.97                 |
| 3          | 20398    | 9.86                 |
| 4          | 24351    | 11.92                |
| 5          | 0        | 0.00                 |
| 6          | N/A      | N/A                  |

Field Calibration

| Measured Caliper (in) | Actual Caliper (in) |
|-----------------------|---------------------|
| 5.98                  | 5.98                |

Micro Normal and Micro Inverse Calibration MMR-A 11

Base Calibration on 16-JAN-2013 10:36  
 Field Check on 20-JAN-2013 13:50

Base Calibration

| Channel       | Measured   |            | Calibrated (ohm-m) |            |
|---------------|------------|------------|--------------------|------------|
|               | Resistor 1 | Resistor 2 | Resistor 1         | Resistor 2 |
| Micro Normal  | 12.3       | 59.9       | 5.0                | 25.0       |
| Micro Inverse | 15.5       | 77.5       | 5.0                | 25.0       |

| Channel       | Base Check (ohm-m) | Field Check (ohm-m) |
|---------------|--------------------|---------------------|
| Micro Normal  | 76.3               | 76.3                |
| Micro Inverse | 58.7               | 58.7                |

Micro Normal and Micro Inverse Constants MMR-A 11

Last Edited on 05-NOV-2012,13:54

Pad Type 8-12 in Soft Rubber Inflatable 006-9011-159  
 Micro Normal K Factor 1.0000  
 Micro Inverse K Factor 1.0000  
 Standoff Offset 0.0000 inches

Neutron Calibration MDN-A.B 65

Base Calibration on 13-DEC-2012 16:03  
 Field Check on 20-JAN-2013 14:00

Base Calibration

| Ratio | Measured |     | Calibrated (cps) |     |
|-------|----------|-----|------------------|-----|
|       | Near     | Far | Near             | Far |
|       | 2945     | 91  | 3714             | 110 |
|       | 32.377   |     | 33.764           |     |

Field Calibrator at Base

| Ratio | Calibrated (cps) |
|-------|------------------|
|       | 1743 2519        |
|       | 0.692            |

Field Check

| Ratio | Calibrated (cps) |
|-------|------------------|
|       | 1729 2508        |
|       | 0.691            |

Neutron Constants MDN-A.B 65

Last Edited on 20-JAN-2013,13:56

Neutron Source Id PN-521  
 Neutron Lig Number 5824NE

|                                 |                 |       |           |
|---------------------------------|-----------------|-------|-----------|
| Neutron Sig Number              | 5824NE          | No    |           |
| Epithermal Neutron              |                 | No    |           |
| Caliper Source for Processing   | Density Caliper |       |           |
| Stand-off                       |                 | 0.00  | inches    |
| Mud Density                     |                 | 1.00  | gm/cc     |
| Limestone Sigma                 |                 | 7.10  | cu        |
| Sandstone Sigma                 |                 | 4.26  | cu        |
| Dolomite Sigma                  |                 | 4.70  | cu        |
| Formation Pressure Source       | Constant Value  |       |           |
| Formation Pressure              |                 | 0.00  | kpsi      |
| Temperature Source              | Constant Value  |       |           |
| Temperature                     |                 | 68.00 | degrees F |
| Mud Salinity                    |                 | 0.00  | kppm      |
| Salinity Correction             | Not Applied     |       |           |
| Formation Fluid Salinity Source | Constant Value  |       |           |
| Formation Fluid Salinity        |                 | 0.00  | kppm      |
| Barite Mud Correction           | Not Applied     |       |           |

**FE Calibration MFE-B.J 352**

Base Calibration on 16-JAN-2013 10:20  
Field Check on 20-JAN-2013 13:39

|                  |          |                    |  |
|------------------|----------|--------------------|--|
| Base Calibration |          |                    |  |
|                  | Measured | Calibrated (ohm-m) |  |
| Reference 1      | 0.0      | 0.0                |  |
| Reference 2      | 964.3    | 126.8              |  |
| Base Check       |          | 281.2              |  |
| Field Check      |          | 281.4              |  |

**FE Constants MFE-B.J 352**

Last Edited on 20-JAN-2013,16:54

|                                  |                          |  |        |
|----------------------------------|--------------------------|--|--------|
| Running Mode                     | No Sleeve                |  |        |
| MFE K Factor                     | 0.1268                   |  |        |
| Caliper Source for FE correction | Density Caliper          |  |        |
| Caliper Value for FE correction  | N/A                      |  | inches |
| Rm Source for FE correction      | Temperature Corr         |  |        |
| Temp. for Rm Corr.               | MCG External Temperature |  |        |
| Stand-off                        | 0.5                      |  | inches |

**Induction Calibration MAI-A.A 45**

Base Calibration on 26-JUL-2012,09:22  
Field Check on 20-JAN-2013 13:34

|                       |                     |          |                      |                     |  |
|-----------------------|---------------------|----------|----------------------|---------------------|--|
| Base Calibration      |                     |          |                      |                     |  |
| Test Loop Calibration |                     | Measured |                      | Calibrated (mmho/m) |  |
| Channel               | Low                 | High     | Low                  | High                |  |
| 1                     | 14.4                | 472.6    | 9.3                  | 966.2               |  |
| 2                     | 5.7                 | 374.0    | 7.6                  | 821.4               |  |
| 3                     | 3.4                 | 261.2    | 5.2                  | 566.0               |  |
| 4                     | 2.5                 | 133.9    | 2.6                  | 279.2               |  |
| Array Temperature     |                     | 78.4     |                      | Deg F               |  |
| Channel               | Base Check (mmho/m) |          | Field Check (mmho/m) |                     |  |
|                       | Low                 | High     | Low                  | High                |  |
| 1                     |                     |          | 18.5                 | 3849.8              |  |
| 2                     |                     |          | 31.7                 | 3628.2              |  |
| 3                     |                     |          | 28.6                 | 3048.8              |  |
| 4                     |                     |          | 18.3                 | 2079.0              |  |
| Deep                  |                     |          | 16.1                 | 1911.2              |  |
| Medium                |                     |          | 42.5                 | 4059.5              |  |
| Shallow               |                     |          | 49.5                 | 5480.8              |  |
| Array Temperature     |                     |          | 61.2                 | Deg F               |  |

**Induction Constants MAI-A.A 45**

Last Edited on 20-JAN-2013,16:55

|                                   |                 |  |         |
|-----------------------------------|-----------------|--|---------|
| Induction Model                   | RtAP-WBM        |  |         |
| Caliper for Borehole Corr.        | Density Caliper |  |         |
| Hole Size for Borehole Correction | N/A             |  | inches  |
| Tool Centred                      | No              |  |         |
| Stand-off Type                    | Fins            |  |         |
| Stand-off                         | 0.50            |  | inches  |
| Number of Fins on Stand-off       | 8.0000          |  |         |
| Stand-off Fin Angle               | 45.00           |  | degrees |

|                          |        |                          |            |
|--------------------------|--------|--------------------------|------------|
| Stand-off Fin Width      |        | 0.5000                   | inches     |
| Borehole Corr. Rm Source |        | Temperature Corr         |            |
| Temp. for Rm Corr.       |        | MCG External Temperature |            |
| Squasher Start           |        | 0.0020                   | mhos/metre |
| Squasher Offset          |        | N/A                      | mhos/metre |
| Borehole Normalisation   |        |                          |            |
| DRM1                     | 0.0000 | DRC1                     | 0.0000     |
| DRM2                     | 0.0000 | DRC2                     | 0.0000     |
| MRM1                     | 0.0000 | MRC1                     | 0.0000     |
| MRM2                     | 0.0000 | MRC2                     | 0.0000     |
| SRM1                     | 0.0000 | SRC1                     | 0.0000     |
| SRM2                     | 0.0000 | SRC2                     | 0.0000     |

|                              |  |      |             |
|------------------------------|--|------|-------------|
| Calibration Site Corrections |  |      |             |
| Channel 1                    |  | 0.00 | mmhos/metre |
| Channel 2                    |  | 0.00 | mmhos/metre |
| Channel 3                    |  | 0.00 | mmhos/metre |
| Channel 4                    |  | 0.00 | mmhos/metre |

|  |  |        |         |
|--|--|--------|---------|
| Apparent Porosity and Water Saturation Constants |  |        |         |
| Archie Constant (A)                              |  | 1.00   |         |
| Cementation Exponent (M)                         |  | 2.00   |         |
| Saturation Exponent (N)                          |  | 2.00   |         |
| Saturation of Water for Apor                     |  | 100.00 | percent |
| Resistivity of Water for Apor and Sw             |  | 0.05   | ohm-m   |
| Resistivity of Mud Filtrate for Sw               |  | 0.00   | ohm-m   |
| Source for Rt                                    |  | 0.00   |         |
| Source for Rxo                                   |  | 0.00   |         |

#### High Resolution Temperature Calibration MAI-A.A 45

Field Calibration on 13-DEC-2012,10:54

|       | Measured | Calibrated(Deg F) |
|-------|----------|-------------------|
| Lower | 50.00    | 50.00             |
| Upper | 75.00    | 75.00             |

#### High Resolution Temperature Constants MAI-A.A 45

Last Edited on 13-DEC-2012,10:53

|                   |    |
|-------------------|----|
| Pre-filter Length | 11 |
|-------------------|----|

#### Caliper Calibration MPD-B 31

Base Calibration on 13-DEC-2012 14:11  
Field Calibration on 20-JAN-2013 13:40

| Base Calibration  |                       |                      |  |
|-------------------|-----------------------|----------------------|--|
| Reading No        | Measured              | Calibrator Size (in) |  |
| 1                 | 15472                 | 3.99                 |  |
| 2                 | 24160                 | 5.98                 |  |
| 3                 | 32703                 | 7.97                 |  |
| 4                 | 41008                 | 9.86                 |  |
| 5                 | 50231                 | 11.92                |  |
| 6                 | N/A                   | N/A                  |  |
| Field Calibration |                       |                      |  |
|                   | Measured Caliper (in) | Actual Caliper (in)  |  |
|                   | 5.97                  | 5.98                 |  |

#### Photo Density Calibration MPD-B 31

Base Calibration on 13-DEC-2012 14:32  
Field Check on 20-JAN-2013 13:48

| Density Calibration |       |          |       |                  |
|---------------------|-------|----------|-------|------------------|
| Base Calibration    |       |          |       |                  |
|                     | Near  | Measured | Near  | Calibrated (sdu) |
|                     |       | Far      | Far   |                  |
| Reference 1         | 46489 | 23675    | 59556 | 30836            |
| Reference 2         | 18873 | 1941     | 24941 | 2541             |
| Field Check at Base |       |          |       |                  |
|                     | 683.9 | 844.6    |       |                  |
| Field Check         |       |          |       |                  |
|                     | 684.3 | 844.8    |       |                  |

| PE Calibration   |          |            |       |  |
|------------------|----------|------------|-------|--|
| Base Calibration |          |            |       |  |
| WS               | Measured | Calibrated |       |  |
|                  | WH       | Ratio      | Ratio |  |

|             | WC    | WT    | Ratio | Ratio |
|-------------|-------|-------|-------|-------|
| Background  | 126   | 608   |       |       |
| Reference 1 | 18821 | 46368 | 0.409 | 0.371 |
| Reference 2 | 5566  | 18789 | 0.299 | 0.272 |

Field Check at Base  
125.8 608.0

Field Check  
126.2 608.8

Density Constants MPD-B 31

Last Edited on 20-JAN-2013,16:54

|                               |                 |       |
|-------------------------------|-----------------|-------|
| Density Source Id             | 254             |       |
| Nylon Calibrator Number       | DNCE695         |       |
| Aluminium Calibrator Number   | DACD698         |       |
| Density Shoe Profile          | 8 inch          |       |
| Caliper Source for Processing | Density Caliper |       |
| PE Correction to Density      | Not Applied     |       |
| Mud Density                   | 1.10            | gm/cc |
| Mud Density Z/A Multiplier    | 1.11            |       |
| Mud Filtrate Density          | 1.00            | gm/cc |
| Dry Hole Mud Filtrate Density | 1.00            | gm/cc |
| DNCT                          | 0.00            | gm/cc |
| CRCT                          | 0.00            | gm/cc |
| Density Z/A Correction        | Hybrid          |       |
| Matrix Density (gm/cc)        | Depth (ft)      |       |
| 2.71                          | 0.00            |       |
| 0.00                          | 0.00            |       |
| 0.00                          | 0.00            |       |
| 0.00                          | 0.00            |       |
| 0.00                          | 0.00            |       |
| 0.00                          | 0.00            |       |
| 0.00                          | 0.00            |       |
| 0.00                          | 0.00            |       |
| 0.00                          | 0.00            |       |

DOWNHOLE EQUIPMENT

C:\Minimus 13.04.8492\Data\O'Brien Clayton #1-33\O'Brien Clayton 1-33\_002.dta

Compact Comms Gamma  
MCG-C 208 LG: 8.70 ft WT: 63.9 lb OD: 2.24 in


Compact Micro-Resistivity  
MMR-A 11 LG: 8.59 ft WT: 81.6 lb OD: 4.88 in

Compact Neutron  
MDN-A.B 65 LG: 5.04 ft WT: 50.7 lb OD: 2.24 in

Compact Density/Caliper  
MPD-B 31 LG: 9.59 ft WT: 90.4 lb OD: 2.45 in

Compact Focussed Electric  
MFE-B.J 352 LG: 6.05 ft WT: 48.5 lb OD: 2.24 in

Compact Induction  
MIP-B.J 352 LG: 6.05 ft WT: 48.5 lb OD: 2.24 in



MAI-A.A 45 LG: 10.81 ft WT: 48.5 lb OD: 2.24 in

Total Length: 48.78 ft Weight: 383.6 lb



3.34 ft R600 - Array Ind. One Res 60  
 3.34 ft RTAO - Array Ind. One Res Rt  
 0.23 ft SPCG - Spontaneous Potential  
 Tool Zero (0.13ft from bottom)  
 -0.13 ft SMTU - DST Uphole Tension  
 All measurements relative to tool zero.

**COMPANY** O'BRIEN ENERGY RESOURCES CORP.  
**WELL** CLAYTON #1-33  
**FIELD** MOHLER  
**PROVINCE/COUNTY** MEADE  
**COUNTRY/STATE** U.S.A. / KANSAS

|                         |         |      |               |         |      |
|-------------------------|---------|------|---------------|---------|------|
| Elevation Kelly Bushing | 2578.00 | feet | First Reading | 6392.00 | feet |
| Elevation Drill Floor   | 2577.00 | feet | Depth Driller | 6413.00 | feet |
| Elevation Ground Level  | 2566.00 | feet | Depth Logger  | 6412.00 | feet |



**Weatherford**<sup>®</sup>

**COMPACT PHOTO DENSITY  
 COMPENSATED NEUTRON  
 LOG**