PIONEER

Pioneer Energy Services

Dual Induction Log

API No. 15-009-25,848-00-00

Company Bird Dog Oil, LLC

Well Beaver S-Kory No. 1-27

Field Beaver South

County Barton State Kansas


Location 2,300' FNL & 420' FWL


Sec: 27 Twp: 16S Rge: 12W


Other Services
CNL/CDL
MEL/BHCS


Elevation
K.B. 1896
D.F.
G.L. 1888


| | | |



0 Gamma Ray (GAPI) 150
-200 SP (mV) 0
0 Shallow Resistivity (Ohm-m) 50
0 Deep Resistivity (Ohm-m) 50
1000 Conductivity (Ohm-m) 0
15000 Line Tension (lb) 0
Shallow Resistivity
50 (Ohm-m) 500
50 Deep Resistivity (Ohm-m) 500
350
400
450
500
550
600
650
700
750


800
850
900
950
1000
1050
1100
1150
1200
1250
1300
1350


1350
1400
1450
1500
1550
1600
1650
1700
1750
1800
1850
1900


1900
1950
2000
2050
2100
2150
2200
2250
2300
2350
2400
2450


2450
2500
2550
2600
2650
2700
2750
2800
2850
2900
2950
3000




Database File: birddog_beaver-southkory_1-27hd.db
Dataset Pathname: dil/birdstck
Presentation Format: dil

Dataset Creation: Tue Jul 02 09:24:36 2013
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150
-160	RXO/RT	40
-200	SP (mV)	0

0.2	Deep Resistivity (Ohm-m)	2000
0.2	Medium Resistivity (Ohm-m)	2000
0.2	Shallow Resistivity (Ohm-m)	2000
10000	Line Tension (lb)	0

LSPD (ft/min)



0	Gamma Ray (GAPI)	150
-160	RXO/RT	40
-200	SP (mV)	0


0.2	Deep Resistivity (Ohm-m)	2000
0.2	Medium Resistivity (Ohm-m)	2000
0.2	Shallow Resistivity (Ohm-m)	2000
10000	Line Tension (lb)	0


LSPD (ft/min)


Database File: birddog_beaver-southkory_1-27hd.db
Dataset Pathname: dil/birdstck
Presentation Format: dil
Dataset Creation: Tue Jul 02 09:24:36 2013
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray (GAPI)	150
-160	RXO/RT	40
-200	SP (mV)	0

0.2	Deep Resistivity (Ohm-m)	2000
0.2	Medium Resistivity (Ohm-m)	2000
0.2	Shallow Resistivity (Ohm-m)	2000


10000
Line Tension (lb)
0
LSPD
(ft/min)
2650
2700
2750
2800
-34
-34
-34
-33


2850
2900
2950
3000
3050
-33
-33
-33
-33


3100
3150
3200
3250
-33
-31
-31
-31



0	Gamma Ray (GAPI)	150
-160	RXO/RT	40
-200	SP (mV)	0

0.2	Deep Resistivity (Ohm-m)	2000
0.2	Medium Resistivity (Ohm-m)	2000
0.2	Shallow Resistivity (Ohm-m)	2000
10000	Line Tension (lb)	0

LSPD
(ft/min)