



Dual Compensated Porosity Log

Pioneer Energy Services

API No.

15-135-25564-00-00

Company Berexco, LLC

Well Kelle #1

Field Wildcat

County Ness

State Kansas

Location

NE NE SW NE
1370' FNL / 1330' FEL

Other Services
DIL/MEL

Sec: 4

Twp: 16S

Rge: 25W

Permanent Datum

Log Measured From

Drilling Measured From

Ground Level
Kelly Bushing
Kelly Bushing

Elevation 2519
7 Ft. Above Perm. Datum

Elevation
K.B. 2526
D.F.
G.L. 2519

Date

4/12/2013

Run Number

One
CNL / CDL

Type Log

Depth Driller

Depth Logger

Bottom Logged Interval

Top Logged Interval

3500

Type Fluid In Hole

Chemical

Salinity, PPM CL

4000

Density

9.4

Level

Full

Max. Rec. Temp. F

122

Operating Rig Time

4 Hours

Equipment -- Location

15 Hays

Recorded By

R. Barnhart

Witnessed By

Marklin Armstrong

Borehole Record

Casing Record

Run No.

Bit

From

To

Size

Wgt.

From

To

One

12.25

00

304

8.625

23#

00

304

Two

7.875

304

TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Arnold, KS:
2W to I Rd., 3 1/2N, NW to rig

0	Gamma Ray (GAPI)	150
6	Caliper (in)	16

30	Compensated Density (pu)		-10
2	Bulk Density (g/cc)		3
15000	Line Tension (lb)		0
2.625	DGA (g/cc)	3.425	-0.25
	Correction (g/cc)		0.25
	LSPD (ft/min)		















