



**COMPLETION
& PRODUCTION
SERVICES CO.**

**MICRO
LOG**

Company VINCENT OIL CORPORATION
Well IRONS #1-31
Field WILDCAT
County FORD
State KANSAS

Company VINCENT OIL CORPORATION
Well IRONS #1-31
Field WILDCAT
County FORD State KANSAS

Location: API # : 15-057-20863-0000
2255' FNL & 1215' FWL
SEC 31 TWP 29S RGE 24W
Permanent Datum GROUND LEVEL Elevation 2577
Log Measured From KELLY BUSHING 10' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/SON
Elevation
K.B. 2587
D.F. 2585
G.L. 2577

Date	12/18/12		
Run Number	TWO		
Depth Driller	5455		
Depth Logger	5454		
Bottom Logged Interval	5436		
Top Log Interval	4100		
Casing Driller	8 5/8" @ 644		
Casing Logger	642		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 10000 PPM	
Density / Viscosity	9.4/47		
pH / Fluid Loss	10.0/10.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.50 @ 70F		
Rmt @ Meas. Temp	.37 @ 70F		
Rmc @ Meas. Temp	.60 @ 70F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.27 @ 129F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	129F		
Equipment Number	4010		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	JIM HALL		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING SUPERIOR WELL SERVICE HAYS, KANSAS (785) 628-6395
DIRECTIONS
MINNEOLA, KS. - 2 N. TO COUNTY LINE RD. - 1 E. - 1/2 N. - E. INTO





MAIN SECTION


Database File: 009793pe.db
 Dataset Pathname: pass6.2
 Presentation Format: _micro
 Dataset Creation: Tue Dec 18 11:11:51 2012
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		











4750


4800


4850

4900













REPEAT SECTION

Database File: 009793pe.db
 Dataset Pathname: pass5.1
 Presentation Format: _micro
 Dataset Creation: Tue Dec 18 11:18:31 2012 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)			







Calibration Report

Database File: 009793pe.db
 Dataset Pathname: pass5.1
 Dataset Creation: Tue Dec 18 11:18:31 2012 by Calc Open-Cased 090629

MICRO Calibration Report

Serial Number:	MICRO6	
Tool Model:	PROBE	
Performed:	Fri Nov 02 22:18:25 2012	
Caliper Calibration:	Gain=5.542	Offset=-0.170
References	Low Cal	High Cal
Readings	8.000	14.000
	1.431	2.513
1.5" Calibration:	Gain=45.075	Offset=-0.200
References	Low Cal	High Cal
Readings	0.000	20.000
	0.004	1.196
2" Calibration:	Gain=38.041	Offset=0.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.006	0.913

Gamma Ray Calibration Report

Serial Number: #8
Tool Model: OPEN
Performed: Mon Jun 13 16:56:43 2011

Calibrator Value: 150.0 GAPI

Background Reading: 0.0 cps
Calibrator Reading: 175.0 cps

Sensitivity: 0.8371 GAPI/cps