



Radiation Guard Log

DIGITAL LOG (785) 625-3858

API No.	Company Bennett & Schulte Oil Company			
15-053-21,263-00-00	Well Zvolanek No. 31-1			
	Field Stollenberg			
	County Ellsworth State Kansas			
	Location	1780' FSL & 330' FEL		Other Services MEL
	Sec: 31	Twp: 15 S	Rge: 10 W	
Permanent Datum	Ground Level	Elevation 1753		Elevation
Log Measured From	Kelly Bushing	6 Ft. Above Perm. Datum		K.B. 1759
Drilling Measured From	Kelly Bushing			D.F. 1753
Date	5/23/11			
Run Number	One			
Depth Driller	3300			
Depth Logger	3300			
Bottom Logged Interval	3299			
Top Log Interval	200			
Casing Driller	8.625 @ 234			
Casing Logger	234			
Bit Size	7.875			
Type Fluid in Hole	Chemical			
Salinity, ppm CL	3800			
Density / Viscosity	9.2 46			
pH / Fluid Loss	9.5 8.8			
Source of Sample	Flowline			
Rm @ Meas. Temp	.65 @ 60			
Rmf @ Meas. Temp	.4875 @ 60			
Rmc @ Meas. Temp	.8775 @ 60			
Source of Rmf / Rmc	Charts			
Rm @ BHT	.35 @ 111			
Operating Rig Time	3 1/2 Hours			
Max Rec. Temp. F	111			
Equipment Number	4			
Location	Hays			
Recorded By	D. Kerr			K. Bange
Witnessed By	Frank Schulte			


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Wilson KS, 10 South on 105 RD to M RD,
1 East, 1 North to N RD, West Into (Left at Y)





750

800

850

900

950

1000


1050

1100

1150

1200

1250



-104

-104

-104

-104

-103

-104



-104


-100

-100

-99

-100





1850

1900

1950

2000

2050

2100


2150


2200

2250

2300

2350





2400

2450

2500

2550

2600

2650


2700

2750

2800

2850

2900



-28

-27

-27

-27

-27

-26


-27

-26

-26


-27

-26






Database File: c:\warrior\data\bennett & schulte_zvolanek no. 31-1\ben&schul052311hd.db
 Dataset Pathname: rag/bsrag
 Presentation Format: rag
 Dataset Creation: Mon May 23 07:18:30 2011
 Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	0.2	Long Guard	2000
6	Caliper (GAPI)	16	560	Neutron	2160
-200	SP (mV)	0	15000	Line Tension	0
LSPD					






Database File: c:\warrior\data\bennett & schulte_zvolanek no. 31-1\ben&schul052311hd.db
 Dataset Pathname: rag/bsrag
 Presentation Format: rag
 Dataset Creation: Mon May 23 07:18:30 2011
 Charted by: Depth in Feet scaled 1:240















LSPD