



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.	Company Bennett & Schulte Oil Company			
	Well Zvolanek No. 31-1			
	Field Stollenberg			
	County Ellsworth	State	Kansas	
15-053-21,263-00-00	Location	1780' FSL & 330' FEL		Other Services RAG
	Sec: 31	Twp: 15 S	Rge: 10 W	
Permanent Datum	Ground Level	Elevation 1753		Elevation
Log Measured From	Kelly Bushing	6 Ft. Above Perm. Datum		K.B. 1759
Drilling Measured From	Kelly Bushing			D.F. 1753
Date	5/23/11			
Run Number	Two			
Depth Driller	3300			
Depth Logger	3300			
Bottom Logged Interval	3299			
Top Log Interval	2200			
Casing Driller	8.625 @ 234			
Casing Logger	234			
Bit Size	7.875			
Type Fluid in Hole	Chemical			
Salinity, ppm CL	3800			
Density / Viscosity	9.2	46		
pH / Fluid Loss	9.5	8.8		
Source of Sample	Flowline			
Rm @ Meas. Temp	.65 @ 60			
Rmf @ Meas. Temp	.4875 @ 60			
Rmc @ Meas. Temp	.8775 @ 60			
Source of Rmf / Rmc	Charts			
Rm @ BHT	.35 @ 111			
Operating Rig Time	3 1/2 Hours			
Max Rec. Temp. F	111			
Equipment Number	4			
Location	Hays			
Recorded By	D. Kerr			K. Bange
Witnessed By	Frank Schulte			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Wilson KS, 10 South on 105 RD to M RD,
1 East, 1 North to N RD, West Into (Left at Y)



Database File: c:\warrior\data\bennett & schulte_zvolanek no. 31-1\ben&schul052311hd.db
Dataset Pathname: rag/bsrag
Presentation Format: micro
Dataset Creation: Mon May 23 07:18:30 2011
Charted by: Depth in Feet scaled 1:240


Charted by: Depth in Feet scaled 1:2.15		
0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0








2650

2700

2750

2800




-26

-27

-26

-26




2850

2900

2950

3000

3050




-27

-26

-26

-25

-26




3100

3150

3200

3250




-25


-25

-25

-26



3300



LSPD