



Dual Compensated Porosity Log

Pioneer Energy Services

API No.

15-053-21,289-00-00

Company Jason Oil Company, LLC

Well Beagley No. 1

Field Stollenberg

County Ellsworth State Kansas

Location

E2-NE-NW-NE
330' FNL & 1350' FEL

Other Services
DIL
MEI/BHCS

Sec: 8 Twp: 16S Rge: 10W

Permanent Datum Ground Level Elevation 1816
Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date 10/27/13

Run Number One

Type Log CNL / CDL

Depth Driller 3350

Depth Logger 3350

Bottom Logged Interval 3329

Top Logged Interval 2000

Type Fluid In Hole Chemical

Salinity, PPM CL 4,000

Density 9.2

Level Full

Max. Rec. Temp. F 110

Operating Rig Time 4 1/2 Hours

Equipment -- Location 108 Hays

Recorded By J. Henrickson

Witnessed By Steve Reed

Borehole Record

Casing Record

Run No.	Bit	From	To	Size	Wgt.	From	To
---------	-----	------	----	------	------	------	----

One	12.25	00	347	8.625	23#	00	347
-----	-------	----	-----	-------	-----	----	-----

Two	7.875	347	TD				
-----	-------	-----	----	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Wilson Kansas
South on 105 Rd to Avenue N, 1 3/4 East, South Into


Database File: jasonoil_beagley_1hd.db
Dataset Pathname: DIL/jasstk
Presentation Format: cdl
Dataset Creation: Sun Oct 27 10:58:49 2013
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray (GAPI)	150
6	Caliper (in)	16

30	Compensated Density (pu)		-10
2	Bulk Density (g/cc)		3
15000	Line Tension (lb)		0
2.625	DGA (g/cc)	3.425	-0.25
		Correction (g/cc)	0.25
			LSPD
			(ft/min)









Database File:	jasonoil_beagley_1hd.db
Dataset Pathname:	DIL/jasstk
Presentation Format:	cnlspec
Dataset Creation:	Sun Oct 27 10:58:49 2013
Charted by:	Depth in Feet scaled 1:240


0	Gamma Ray (GAPI)	150
6	Caliper (in)	16


30	CNLS (pu)	-10
30	Compensated Density (2.71 ma) (pu)	-10
2.625	DGA (g/cc)	3.425
-0.25	Correction (g/cc)	0.25
10000	Line Tension (lb)	0


LSPD (ft/min)


















3350

0	Gamma Ray (GAPI)	150
6	Caliper (in)	16



-32

30	CNLS (pu)				-10
30	Compensated Density (2.71 ma) (pu)				-10
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25
10000	Line Tension (lb)				0

LSPD
(ft/min)