

MD
1:240
Feet

Client: Woolsey Operating Compa

Well Name: Lincoln Trust 2-H

Field:

Location: Barber County

Company Representative

Country: US

Mike Tharp

Prov/State: KS

County: Barber County

Drilling Rig #: Dan D 11

Latitude:

Geologist
Bill Claver

Longitude:

UW1/API:

License/Permit#:

Directional Drillers

Job No: OK 13046

Heath Marshall

Vertical Section Direction: 179.70

Mark Sanders

KB: 0

DF: 0

GL: 0

Permanent Datum: 0

MWD Operator

Drilling Measurement From:

Shane Lewis

Magnetic Declination: 0

David Jay

Mag Field: 0

Dip Angle: 0

Spud Date: -

Print Date: 4/13/2013

Log Start Depth: 3940

Log End Depth: 8960

Leg Name
Main Leg

Comments:

PAN AMERICAN BILLING SERVICES ("PAN-AM") DOES NOT MAKE AND EXPRESSLY DISCLAIMS ALL WARRANTIES, REPRESENTATIONS AND CONDITIONS, WITH RESPECT TO THE INFORMATION CONTAINED IN THIS DOCUMENT, WHETHER ORAL OR WRITTEN, EXPRESS OR IMPLIED OR ARISING FROM CONTRACT OR OTHERWISE. ANYONE USING THIS INFORMATION DOES SO AT THEIR OWN RISK AND ACKNOWLEDGES AND AGREES THAT PAN-AM SHALL NOT BE LIABLE FOR ANY ERROR, OMISSION, DEFECT, DEFICIENCY, OR NONCONFORMITY IN THE INFORMATION AND WITHOUT LIMITING THE FOREGOING, PAN-AM DOES NOT WARRANT THAT THE INFORMATION (OR THE USE THEREOF) WILL BE FREE OF ALL ERRORS OR THAT IT DOES NOT INFRINGE ANY THIRD PARTY RIGHTS. ANYONE USING THE INFORMATION AGREES TO INDEMNIFY AND HOLD PAN-AM HARMLESS FROM ALL CLAIMS, ACTIONS, COSTS (INCLUDING LEGAL COSTS ON A SOLICITOR AND HIS OR HER CLIENT BASIS), AND LIABILITIES ARISING FROM OR IN CONNECTION WITH THE USE OF THE INFORMATION.

BitRun:	1	2		
Start Depth:	3946	5234.1		
End Depth:	5234.1	8958.01		
Start Date:	2013/03/30	2013/04/04		
End Date:	2013/04/03	2013/04/13		
Gamma Scale Factor:	3	2		
Survey-to-Bit (PTB):	46	46		
Gamma-to-Bit (GTB):	45.07	44.9		
Drill Collar ID/OD:	6.5	4.75		
Hole Size:	8.75	6.125		
Casing Size:	0	0		
Casing Start Depth:	-	-		
Casing End Depth:	-	-		
Mud Type 1:	-	-		
Mud Weight 1:	-	-		
Mud Viscosity 1:	-	-		
Mud Type 2:	-	-		
Mud Weight 2:	-	-		
Mud Viscosity 2:	-	-		
Comment:	-	-		


BitRun:				
Start Depth:				
End Depth:				
Start Date:				
End Date:				
Gamma Scale Factor:				
Survey-to-Bit (PTB):				
Gamma-to-Bit (GTB):				
Drill Collar ID/OD:				
Hole Size:				
Casing Size:				
Casing Start Depth:				



Woolsey Operating Company
Woolsey Operating
Barber County
Lincoln Trust 2-H

MD
1:240
Feet

0	Gamma (AAPI)	150
150	Gamma (AAPI)	300
300	Gamma (AAPI)	450
0	ROP (ft per hr)	150



3940
3950
3960
3970
3980
3990
4000
4010
4020
4030
4040
4050
4060
4070
4080
4090
4100
4110


MD: 3948
INC: 0.5
MD: 3954
INC: 0.5
AZM: 45.9


MD: 3985
INC: 0.1
AZM: 198.7


MD: 4016
INC: 2
AZM: 185.6


MD: 4047
INC: 4.7
AZM: 182.1


MD: 4078
INC: 8.2
AZM: 181.3

































































MD: 8958

INC: 90.7

AZM: 180