



Pioneer Energy Services

Radiation Guard Log

API No.	Company Berexco, LLC		
	Well Mears "B" No. 1-9		
	Field		
	County	Cheyenne	State Kansas
	Location	1,980' FSL & 1,940' FEL	
	Sec: 9	Twp: 1S	Rge: 37W
	Permanent Datum	Ground Level	Elevation 3226
	Log Measured From	Kelly Bushing	11 Ft. Above Perm. Datum
	Drilling Measured From	From Kelly Bushing	
Date		3/9/2013	
Run Number		One	
Depth Driller		4740	
Depth Logger		4738	
Bottom Logged Interval		4737	
Top Log Interval		300	
Casing Driller		8.625 @ 313	
Casing Logger		307	
Bit Size		7.875	
Type Fluid in Hole		Chemical	
Salinity, ppm CL		4000	
Density / Viscosity		9.2 67	
pH / Fluid Loss		10.0 7.4	
Source of Sample		Flowline	
Rm @ Meas. Temp		.50 @ 72	
Rmf @ Meas. Temp		.38 @ 72	
Rmc @ Meas. Temp		.68 @ 72	
Source of Rmf / Rmc		Charts	
Rm @ BHT		.29 @ 123	
Operating Rig Time		4 Hours	
Max Rec. Temp. F		123	
Equipment Number		108	
Location		Hays	
Recorded By		J. Long	
Witnessed By		Bryan Bynog	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Pioneer Energy Services
www.pioneerres.com
785 625 3858


Bird City, 17 North to EE Road (State Line) 3 East to fork, 2 1/2 South, North Into



Charted by: _____ Depth in Feet scaled 1:600					
0	Gamma Ray	150	0.2	lgrd	2000
6	scal (GAPI)	16			



					LSPD

























-200	SP (mV)	0	15000	Line Tension	0
					LSPD

Database File:	c:\warrior\data\berexco_mears b #1-9\berexco_mears_b_1-9hd.db
Dataset Pathname:	rag/bererag
Presentation Format:	rag
Dataset Creation:	Sat Mar 09 03:42:37 2013
Charted by:	Depth in Feet scaled 1:240

0	Gamma Ray	150	0.2	Long Guard	2000
6	Caliper (GAPI)	16	560	Neuton	2160
-200	SP (mV)	0	15000	Line Tension	0
					LSPD

