NABORS
COMPLETION & PRODUCTION SERVICES CO.

MICRO LOG

Company TRANS PACIFIC OIL CORPORATION
Well ALLISON A #9-13
Field SOLOMON NE
County ELLIS State KANSAS

Location: API # : 15-051-26552-00-00
430' FNL & 680' FWL
SW - NE - NW - NW
SEC 13 TWP 11S RGE 19W

Other Services
CNL/CDL
DIL

Permanent Datum GROUND LEVEL Elevation 1967
Log Measured From KELLY BUSHING 7' A.G.L.
Drilling Measured From KELLY BUSHING

Elevation
K.B. 1974
D.F. 1972
G.L. 1967

Date	7-4-13		
Run Number	TWO		
Depth Driller	3530		
Depth Logger	3530		
Bottom Logged Interval	3528		
Top Log Interval	2950		
Casing Driller	1330		
Casing Logger	1328		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.0 / 58		
pH / Fluid Loss	11 / 7.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	0.90 @ 93F		
Rmf @ Meas. Temp	0.68 @ 93F		
Rmc @ Meas. Temp	1.08 @ 93F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.75 @ 112F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	112F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	IAN MABB		
Witnessed By	ALEX CHAPIN		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


NABORS COMPLETION & PRODUCTION SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: HAYS, KS. - NORTH TO SALINE RIVER RD. - WEST 3 MILES TO RD. 210 - SOUTH INTO


Database File: 011356ddn.db
Dataset Pathname: pass6.1
Presentation Format: _micro
Dataset Creation: Thu Jul 04 04:06:26 2013 by Calc Open-Cased 090629


Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150
6	MELCAL (in)	16
0	MINMK	20

0	MEL1.5 (Ohm-m)	40
0	MEL2.0 (Ohm-m)	40




3150
3200
3250
3300
3350



NABORS
COMPLETION & PRODUCTION


REPEAT SECTION


SERVICES CO.

Database File: 011356ddn.db
Dataset Pathname: pass5.1
Presentation Format: _micro
Dataset Creation: Thu Jul 04 03:42:38 2013 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150
6	MELCAL (in)	16
0	MINMK	20

0	MEL1.5 (Ohm-m)	40
0	MEL2.0 (Ohm-m)	40





Calibration Report

Database File: 011356ddn.db
Dataset Pathname: pass6.1
Dataset Creation: Thu Jul 04 04:06:26 2013 by Calc Open-Cased 090629

MICRO Calibration Report

Serial Number:	MICRO4	
Tool Model:	PROBE	
Performed:	Thu May 09 01:54:08 2013	
Caliper Calibration:	Gain=2.675	Offset=-6.400
	Low Cal	High Cal
References	8.600	14.000
Readings	5.584	7.602
1.5" Calibration:	Gain=25.000	Offset=-0.800
	Low Cal	High Cal
References	0.000	20.000
Readings	0.009	1.541
2" Calibration:	Gain=31.000	Offset=-0.800
	Low Cal	High Cal
References	0.000	20.000
Readings	0.004	1.198

Gamma Ray Calibration Report

Serial Number:	GR5	
Tool Model:	OPEN	
Performed:	Mon Jul 01 05:22:08 2013	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.7500	GAPI/cps