



Pioneer Energy Services

API No.

15-171-20966-00-00

Company H & B Petroleum Corp.

Well Daubert #1

Field Wildcat

County **Scott** State **Kansas**

Location

Sec: 5 Twp: 19 S Rge: 31 W

Ground Level	Elevation 2973
Kelly Bushing	12 Et Above Perm Datum

From	Kelly Bushing	D.L. 2973
------	---------------	-----------

	08-16-2013
--	------------

One	4700
-----	------

	4702

Interval	4/01
	300

	8.625 @ 34
--	------------

	340
	7.875

le	Chemical
	0000

2000	9.1	6
2001	9.1	6

8.5	8.
Examples	

emp	1.00 @ 7
-----	----------

temp	0.75 @ 7
temp	1.35 @ 7

Rmc	Charts
-----	--------

0.62	@ 12
4 Hours	

F	125
---	-----

ber	91
	Hays

	Y. Ruiz
--	---------

Kurt / alpbort	
----------------	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments




Thank you for using Log-Tech, Inc.
(785) 625-3858



Scott City,
East to Taos Rd, 3 1/4 South,
West into



Database File: h&b_081613hd.db
Dataset Pathname: dil/hbstk
Presentation Format: dil2in
Dataset Creation: Fri Aug 16 18:55:49 2013
Charted by: Denth in Feet scaled 1:600



0	Gamma Ray (GAPI)	150
-200	SP (mV)	0



0	Shallow Resistivity (Ohm-m)	50
0	Deep Resistivity (Ohm-m)	50
1000	Conductivity (Ohm-m)	0
15000	Line Tension (lb)	0
Shallow Resistivity		
50	(Ohm-m)	500
50	Deep Resistivity (Ohm-m)	500








































LSPD
(ft/min)

Database File: h&b_081613hd.db
Dataset Pathname: dil/hbstk
Presentation Format: dil
Dataset Creation: Fri Aug 16 18:55:49 2013
Charted by: Depth in Feet scaled 1:240



LSPD
(ft/min)






3750

3800

3850

3900




-29

-29

-29

-29




3950

4000

4050

4100

4150




-30

-30

-30

-30

-29





4200

4250

4300

4350






4400

4450

4500

4550



-26

-27

-26

-26

