
PIONEER


Pioneer Energy Services


Microresistivity Log


Company	Roberts Resources, Inc.
Well	Thom Ranch #3-29
Field	Amber Creek East
County	Barber
State	Kansas
API No.	15-007-24,051-00-00
Location	2,050' FSL & 2,260' FWL
Sec: 29	Twp: 30S Rge: 11W
Permanent Datum	Ground Level
Log Measured From	Kelly Bushing
Drilling Measured From	Kelly Bushing
Elevation 1811	11 Ft. Above Perm. Datum
Other Services	CNL/CDL DIL
Elevation	K.B. 1822 D.F. G.L. 1811


| | | |



0 Gamma Ray 150
6 Micro Log Caliper (GAPI) 16
-200 SP (mV) 0
0 Micro Inverese 1 X 1 40
0 Micro Normal 2" 40
15000 Line Weight 0
LSPD
3500
3550
3600
3650
-33
-33
-33
-33



3700
3750
3800
3850
3900
-33
-33
-33
-33
-33


3950
4000
4050
4100
-34
-34
-34
-34


4150
4200
4250
4300
4350
-34
-34
-34
-33
-34


4400
-34
4450
-33
4500
-34
4550
-32


4600
4650
4700
4750
-32
-32
-31
-32



0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0

0	Micro Inverese 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD