

		Sonic Cement Bond Log	
API No.		Company Chieftain Oil Company, inc. Well Molz Family SWD #1 Field Stranathan County Barber State Kansas	
15-007-24045-0000		Location 610' FSL & 1795' FEL NW-SE-SW-SE	Other Services None
Sec: 2 Twp: 35S Rge: 12W		Elevation None	
Permanent Datum Log Measured From Drilling Measured From	Ground Level Kelly Bushing Kelly Bushing	Elevation 1411 13 Ft. Above Perm. Datum	K.B. 1424 D.F. 1422 G.L. 1411
Run Number	One		
Date Survey	8-20-2013		
Date Cementing	8-7-2013		
Type Cementing Operation	Primary		
Depth Driller	6460		
Depth Logger	5532		
Logged Interval	5531 to 3905		
Casing Driller	5.5 @ TD		
Float Collar -- D.V. Tool	////		
Squeeze Depth	////		
Amount & Type Cement	////		
Amount & Type Admix	////		
Type Fluid In Hole	Water		
Fluid Level	Full		
Salinity PPM CL	////		
Weight lb/gal -- Vis.	////		
Approx. Logged Cement Top	4100		
Calculated Cement Top	////		
Max. Hole Temperature	DIG 01		
Tool No.	3-5		
Spacing Recorded	01 Pratt		
Equipment -- Location	Dillon Ezell		
Recorded By	Ryan Molz		
Witnessed By			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Excel Wireline (620) 388-5676


Hardtner,Ks 3.5 Mi East to Clairmont RD
.5 North West Into @ Cattle guard







Main Pass

Database File molz_family_swd#1.db
Dataset Pathname grcbl/pass4
Presentation Format cbldr
Dataset Creation Tue Aug 20 13:32:27 2013
Charted by Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	amp3ft	3	Casing Collars	-0.3	200	wvf5ft	1200
			(mV)	0	Amplified Amplitude (mV)	100			
			-100 10	0	Pipe Amplitude (mV)	20			










4350

4400

4450

4500







4550




4600




4650


4700


4750














Repeat Section

Database File molz_family_swd#1.db
 Dataset Pathname grcbl/pass3
 Presentation Format cbldr
 Dataset Creation Tue Aug 20 13:24:26 2013
 Charted by Depth in Feet scaled 1:240





	Casing Amplitude (mV)		Pipe Amplitude (mV)		Amplified Amplitude (mV)		Pipe Amplitude (mV)		Amplified Amplitude (mV)	
	-100		10		0		0		100	