



Dual Compensated Porosity Log

Pioneer Energy Services

API No.

15-051-26,550-00-00

Company Trans Pacific Oil Corporation
Well Bemis 'A' No. 1-3
Field Bemis-Shutts
County Ellis
State Kansas

Location SW-SW-NE-NW
1090' FNL & 1350' FWL

Other Services
DIL/MEL

Sec: 3 Twp: 11S Rge: 18W

Permanent Datum Ground Level Elevation 2010
Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Elevation
K.B. 2017
D.F.
G.L. 2010

Date

7/16/2013

Run Number

One

Type Log

CNL / CDL

Depth Driller

3582

Depth Logger

3582

Bottom Logged Interval

3561

Top Logged Interval

2800

Type Fluid In Hole

Chemical

Salinity, PPM CL

2,000

Density

9.1

Level

Full

Max. Rec. Temp. F

112

Operating Rig Time

5 Hours

Equipment -- Location

15 Hays

Recorded By

J. Henrickson

Witnessed By

D. Kerr

Run No.

Bit

From

To

Size

Wgt.

From

To

One

12.25

00

8.625

23#

00

Two

7.875

221

TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Hays Kansas
North to County Line, West Into

Database File: transpac_bemis_a_1_3hd.db
Dataset Pathname: DIL/transstk
Presentation Format: cdl
Dataset Creation: Wed Jul 17 06:24:58 2013
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray (GAPI)	150
6	Caliper (in)	16

30	Compensated Density (pu)		-10
2	Bulk Density (g/cc)		3
15000	Line Tension (lb)		0
2.625	DGA (g/cc)	3.425	-0.25
	Correction (g/cc)		0.25
	LSPD (ft/min)		











