



Dual Compensated Porosity Log

Pioneer Energy Services

API No.

15-053-21,307-00-00

Company Jason Oil Company, LLC
Well Harbacek #6
Field Stollenberg
County Ellsworth State Kansas

Location

NW SE SE NW
2,150' FNL & 3,027' FEL

Other Services
DIL
MEL

Sec: 7

Twp: 16S

Rge: 10W

Elevation

Permanent Datum Ground Level Elevation 1824
Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 1831
D.F.
G.L. 1824

Date

2/19/2014

Run Number

One

Type Log

CNL / CDL

Depth Driller

3400

Depth Logger

3400

Bottom Logged Interval

3379

Top Logged Interval

2600

Type Fluid In Hole

Chemical

Salinity, PPM CL

4000

Density

8.9

Level

Full

Max. Rec. Temp. F

110

Operating Rig Time

3 1/2 Hours

Equipment -- Location

108 Hays

Recorded By

J. Long

Witnessed By

Steve Reed

Borehole Record

Casing Record

Run No.

Bit

From

To

Size

Wgt.

From

To

1

12.25

00

428

7.875

428

3400

8.625

24#

00

428

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Pioneer Energy Services
www.pioneerres.com
785 625 3858

Wilson, South to Avenue N, 1/2 East, South Into

Database File: c:\warrior\data\jason oil_harbacek #6\jasonoil_harbacek_6hd.db
Dataset Pathname: dil/jasstck
Presentation Format: cdl
Dataset Creation: Wed Feb 19 09:01:54 2014
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			











