



ARRAY COMPENSATED
TRUE RESISTIVITY
LOG


Fold here

LOGGING DATA

GENERAL			GAMMA		ACOUSTIC			DENSITY			NEUTRON			
Run	Depth		Speed	Scale		Scale		Matrix	Scale		Matrix	Scale		Matrix
No.	From	To	ft/min	L	R	L	R		L	R		L	R	
ONE	4960	625	REC	0	150									
DIRECTIONAL INFORMATION														
Maximum Deviation @								KOP @						
Remarks: ANNULAR HOLE VOLUME CALCULATED FOR 5.5-INCH CASING														
CHLORIDES REPORTED AT 3,400 MG/L														
GTET-CSNG-DSNT-SDLT-IDT-ICT-WSTT-ACRT RUN IN COMBINATION														
TODAY'S CREW: F. VILLA & D. MILLER														
THANK YOU FOR CHOOSING HALLIBURTON ENERGY SERVICES LIBERAL, KS. 620-624-8123														
HALLIBURTON DOES NOT GUARANTEE THE ACCURACY OF ANY INTERPRETATION OF THE LOG DATA, CONVERSION OF LOG DATA TO PHYSICAL ROCK PARAMETERS OR RECOMMENDATIONS WHICH MAY BE GIVEN BY HALLIBURTON PERSONNEL OR WHICH APPEAR ON THE LOG OR IN ANY OTHER FORM. ANY USER OF SUCH DATA, INTERPRETATIONS, CONVERSIONS, OR RECOMMENDATIONS AGREES THAT HALLIBURTON IS NOT RESPONSIBLE EXCEPT WHERE DUE TO GROSS NEGLIGENCE OR WILLFUL MISCONDUCT, FOR ANY LOSS, DAMAGES, OR EXPENSES RESULTING FROM THE USE THEREOF.														
HALLIBURTON														








1400


1500

1600

1700

1800





1900


2000


2100

2200

2300

2400







2500


2600

2700

2800

2900





3000


3100


3200

3300

3400

3500






3600


3700

3800

3900

4000





4100



4200


4300

4400

4500

4600





0	Gamma API	150	MD	1 : 600	ft	0	20in Resistivity 2ft Res	50	
	api						ohm-metre		
	SP					0	90in Resistivity 2ft Res	50	
	-]20[+						ohm-metre		
						1000	90in Conductivity 2ft Res		0
							mmho per metre		

HALLIBURTON


Plot Time: 30-Jun-13 13:15:29
Plot Range: 610 ft to 4962.67 ft
Data: VOGEL_3306_1-1\Well Based\CASING\
Plot File: \\-LOCAL-\\VOGEL_3306_1-1\\0001 SP-GTET-CSNG-DSN-SDL-FLEX-IDT-ICT-WSTT-ACRT-CHIACRTIACRT_2.lib


2 INCH MAIN LOG

HALLIBURTON


Plot Time: 30-Jun-13 13:15:29
Plot Range: 610 ft to 4962.67 ft
Data: VOGEL_3306_1-1\Well Based\CASING\
Plot File: \\-LOCAL-\\VOGEL_3306_1-1\\0001 SP-GTET-CSNG-DSN-SDL-FLEX-IDT-ICT-WSTT-ACRT-CHIACRTIACRT_5_EVR_LIB


MAIN SECTION HIGH RES 10" PER 100'






700.000







800.000


900.000







1000.000







1100.000







1200.000







1300.000







1400.000







1500.000





1600.000







1700.000


SP



CSG







1800.000










2100.000







2200.000







2300.000







2400.000







2500.000






2600.000








SP


2700.000











2900.000








3200.000







SP


3300.000







3400.000







3500.000







3600.000







3700.000







3800.000







3900.000






4000.000






4100.000


4200.000







4300.000







4400.000






4500.000






SP


4600.000







4700.000


SP







4800.000







HALLIBURTON




Plot Time: 30-Jun-13 13:15:38
Plot Range: 610 ft to 4962.67 ft
Data: VOGEL_3306_1-1\Well Based\CASING\
Plot File: \\-LOCAL-\\VOGEL_3306_1-1\\0001 SP-GTET-CSNG-DSN-SDL-FLEX-IDT-ICT-WSTT-ACRT-CHIACRT\ACRT_5_EVR_LIB


MAIN SECTION HIGH RES 10" PER 100'

HALLIBURTON


Plot Time: 30-Jun-13 13:15:38
Plot Range: 4600 ft to 4962.17 ft
Data: VOGEL_3306_1-1\Well Based\REPEAT\
Plot File: \\-LOCAL-\\VOGEL_3306_1-1\\0001 SP-GTET-CSNG-DSN-SDL-FLEX-IDT-ICT-WSTT-ACRT-CHIACRT\ACRT_5_EVR_LIB


REPEAT SECTION HIGH RES 10" PER 100'







4700.000






4800.000








HALLIBURTON


Plot Time: 30-Jun-13 13:15:40
Plot Range: 4600 ft to 4962.17 ft
Data: VOGEL_3306_1-1\Well Based\REPEAT\
Plot File: \\LOCAL-1\VOGEL_3306_1-1\0001 SP-GTET-CSNG-DSN-SDL-FLEX-IDT-ICT-WSTT-ACRT-CHIACRTIACRT_5_EVR_LIB

REPEAT SECTION HIGH RES 10" PER 100'

HALLIBURTON

TOOL STRING DIAGRAM REPORT





Wavesonic-I-
10753396
520.00 lbs

Ø 3.625 in →

34.07 ft

← Wavesonic Delay @ 31.33 ft

Centralizer 25-00000029
8.00 lbs

Ø 4.000 in* →



ACRt Instrument-
11022962
50.00 lbs

Regal Standoff 6_75-
00000044
20.00 lbs

Ø 6.750 in* →
Ø 3.625 in →

5.03 ft

19.83 ft

← Mud Resistivity @ 13.44 ft

14.80 ft

← ACRt @ 9.46 ft

ACRt Sonde-
11005909
200.00 lbs

Ø 3.625 in →

14.22 ft

Cabbage Head-
TRK696
10.00 lbs

Ø 3.625 in →
Ø 6.000 in →

0.58 ft

0.58 ft

0.00 ft



Mnemonic		Tool Name	Serial Number	Weight (lbs)	Length (ft)	Accumulated Length (ft)	Max.Log. Speed (fpm)
CH_HOS		Hostile Cable Head with Load Cell	00000062	37.50	3.03	120.91	300.00
SP		SP Sub	11441455	60.00	3.74	117.17	300.00
GTET		Gamma Telemetry Tool	11048627	165.00	8.52	108.65	60.00
CSNG		Compensated Spectral Natural Gamma	10965402	114.00	8.17	100.48	15.00
DSNT		Dual Spaced Neutron	11055304	174.00	9.69	90.80	60.00
DCNT		DSN Decentralizer	11019643	6.60	5.13	* 94.13	300.00
SDLT		Spectral Density Tool	11014296	360.00	10.81	79.98	60.00
SDLP		Density Insite Pad	10865884	65.00	2.55	* 82.19	60.00
MICP		Microlog Pad	11014296	8.00	1.00	* 82.48	60.00

IQF	IQ Flex tool	00000696	140.00	5.67	74.31	300.00
IDT	Insite Directional Tool	1094	150.00	7.58	66.73	30.00
ICT	Six Independent Arm Caliper	11204020	330.00	12.83	53.90	30.00
WSTT	WaveSonic Insite	10753396	520.00	34.07	19.83	30.00
OBCEN	Centralizer - 25 in. Overbody	00000029	8.00	2.08 *	22.81	300.00
OBCEN	Centralizer - 25 in. Overbody	00000027	8.00	2.08 *	50.16	300.00
ACRt	Array Compensated True Resistivity Instrument Section	11022962	50.00	5.03	14.80	300.00
RSOF	Regal Standoff 6.75in	00000044	20.00	0.52 *	17.55	300.00
ACRt	Array Compensated True Resistivity Sonde Section	11005909	200.00	14.22	0.58	300.00
CBHD	Cabbage Head	TRK696	10.00	0.58	0.00	300.00
Total			2,426.10	123.94		
* Not included in Total Length and Length Accumulation.						
Data: VOGEL_3306_1-110001 SP-GTET-CSNG-DSN-SDL-FLEX-IDT-ICT-WSTT-ACRT-CH1DLE					Date: 30-Jun-13 07:31:01	

Subarray	R12KHz			R36KHz			R72KHz		
	Lower	(mmho/m)	Upper	Lower	(mmho/m)	Upper	Lower	(mmho/m)	Upper
A1 (80")	0.95	1.01	1.05	0.95	1.02	1.05	0.95	1.02	1.05
A2 (50")	0.95	1.01	1.05	0.95	1.02	1.05	0.95	1.02	1.05
A3 (29")	0.95	1.01	1.05	0.95	1.01	1.05	0.95	1.01	1.05
A4 (17")	0.95	1.01	1.05	0.95	1.02	1.05	0.95	1.02	1.05
A5 (10")	N/A	N/A	N/A	0.95	1.00	1.05	0.95	1.00	1.05
A6 (6")	N/A	N/A	N/A	0.95	0.99	1.05	0.95	0.99	1.05
TYPICAL SONDE OFFSET RANGE									
Subarray	R12KHz			R36KHz			R72KHz		
	Lower	(mmho/m)	Upper	Lower	(mmho/m)	Upper	Lower	(mmho/m)	Upper
A1 (80")	-5	-0.25	2	-6	-3.43	-2	-8	-4.75	-2
A2 (50")	-7	-1.29	0	-7	-3.27	0	-7	-4.27	0
A3 (29")	-27	-15.53	-9	-9	-4.61	-3	-7	-2.76	-1
A4 (17")	-180	-101.70	-60	-45	-31.05	-15	-39	-26.54	-13
A5 (10")	N/A	N/A	N/A	-150	-98.53	-50	-80	-44.97	-10
A6 (6")	N/A	N/A	N/A	175	287.44	525	90	151.15	270
TRANSMITTER CURRENT GAIN						R-MUD VERIFICATION			
Signal	Lower	R	Upper	Signal	Lower (ohm-m)	Measured (ohm-m)	Upper (ohm-m)		
12K	0.6	0.91	1.3	Mud Cell	0.95	1.00	1.05		
36K	1.0	1.36	2.0						
72K	1.0	1.58	2.0						
PASS/FAIL SUMMARY									
GAIN RANGE CHK						PASS			
SONDE OFFSET RANGE CHK						PASS			
Tx CURRENT GAIN						PASS			
Rmud VERIFICATION						PASS			
TOOL OK TO LOG									
CALIBRATION SUMMARY									
Sensor		Shop	Field	Post	Difference	Tolerance	Units		
GTET-11048627									
Gamma Ray Calibrator		269.6	262.1	-----	7.5	+/- 9.00	api		
ACRt Sonde-11005909									
Mud Cell		1.00	-----	-----	0.00	-----	ohm-m		
Data: VOGEL_3306_1-110001 SP-GTET-CSNG-DSN-SDL-FLEX-IDT-ICT-WSTT-ACRT-CHUIDLE									
Date: 30-Jun-13 08:03:21									
HALLIBURTON									
PARAMETERS REPORT									
Depth (ft)	Tool Name	Mnemonic	Description			Value	Units		
TOP-----									
	SHARED	BS	Bit Size			7.875	in		
	SHARED	UBS	Use Bit Size instead of Caliper for all applications.			No			
	SHARED	MDBS	Mud Base			Water			

SHARED	MDWT	Borehole Fluid Weight	8.400	ppg
SHARED	WAGT	Weighting Agent	Natural	
SHARED	BSAL	Borehole salinity	0.00	ppm
SHARED	FSAL	Formation Salinity NaCl	0.00	ppm
SHARED	KPCT	Percent K in Mud by Weight?	0.00	%
SHARED	RMUD	Mud Resistivity	2.000	ohmm
SHARED	TRM	Temperature of Mud	75.0	degF
SHARED	CSD	Logging Interval is Cased?	No	
SHARED	ICOD	AHV Casing OD	5.500	in
SHARED	ST	Surface Temperature	75.0	degF
SHARED	TD	Total Well Depth	4969.00	ft
SHARED	BHT	Bottom Hole Temperature	200.0	degF
SHARED	SVTM	Navigation and Survey Master Tool	IDT	
SHARED	AZTM	High Res Z Accelerometer Master Tool	IDT	
SHARED	TEMM	Temperature Master Tool	NONE	
SHARED	BHSM	Borehole Size Master Tool	ICT	
Rwa / CrossPlot	XPOK	Process Crossplot?	Yes	
Rwa / CrossPlot	FCHO	Select Source of F	Automatic	
Rwa / CrossPlot	AFAC	Archie A factor	0.6200	
Rwa / CrossPlot	MFAC	Archie M factor	2.1500	
Rwa / CrossPlot	RMFR	Rmf Reference	0.10	ohmm
Rwa / CrossPlot	TMFR	Rmf Ref Temp	75.00	degF
Rwa / CrossPlot	RWA	Resistivity of Formation Water	0.05	ohmm
Rwa / CrossPlot	ADP	Use Air Porosity to calculate CrossplotPhi	No	
GTET	GROK	Process Gamma Ray?	Yes	
GTET	GRSO	Gamma Tool Standoff	0.000	in
GTET	GEOK	Process Gamma Ray EVR?	Yes	
GTET	TPOS	Tool Position for Gamma Ray Tools.	Eccentered	
CSNG	CGOK	Process CSNG Data?	Yes	
CSNG	CENT	Is Tool Centralized?	No	
CSNG	GBOK	Gamma Enviromental Corrections?	Yes	
CSNG	BARF	Barite Correction Factor	1.00	
CSNG	ORDG	Use Fixed Gain	No	
CSNG	ORDO	Use Fixed Offset	No	
CSNG	ORDR	Use Fixed Resolution Degradation Factor	No	
DSNT	DNOK	Process DSN?	Yes	
DSNT	DEOK	Process DSN EVR?	Yes	
DSNT	NLIT	Neutron Lithology	Limestone	
DSNT	DNSO	DSN Standoff - 0.25 in (6.35 mm) Recommended	0.250	in
DSNT	DNTP	Temperature Correction Type	None	
DSNT	DPRS	DSN Pressure Correction Type	None	
DSNT	SHCO	View More Correction Options	No	
DSNT	UTVD	Use TVD for Gradient Corrections?	No	
DSNT	LHWT	Logging Horizontal Water Tank?	No	
SDLT	CLOK	Process Caliper Outputs?	Yes	
Microlog Pad	MLOK	Process MicroLog Outputs?	Yes	
SDLT Pad	DNOK	Process Density?	Yes	
SDLT Pad	DNOK	Process Density EVR?	Yes	
SDLT Pad	CB	Logging Calibration Blocks?	No	
SDLT Pad	SPVT	SDLT Pad Temperature Valid?	Yes	
SDLT Pad	DTWN	Disable temperature warning	No	

SDLT Pad	DMA	Formation Density Matrix	2.710	g/cc
SDLT Pad	DFL	Formation Density Fluid	1.000	g/cc
IDT	WRTI	Survey Writing Interval	30	ft
IDT	SOPT	Smoothing Option	None	
ICT	CLOK	Process Caliper Outputs?	Yes	
ICT	DARM	Disable Caliper Arm	No	
ICT	ATDS	Arm To Disable	0	
ICT	REPM	Method to replace arm?	Caliper Average	
ICT	ARMV	Diameter to use for disabled arm	0.00	in
ICT	DARM	Disable Second Caliper Arm	No	
ICT	ATDS	Second Arm To Disable	0	
ICT	REPM	Method to replace second arm?	Caliper Average	
ICT	ARMV	Diameter to use for second disabled arm	0.00	in
ICT	NAVS	Navigation Source Tool	IDT	
ICT	CL1O	Radius 1 Offset	0.0	in
ICT	CL2O	Radius 2 Offset	0.0	in
ICT	CL3O	Radius 3 Offset	0.0	in
ICT	CL4O	Radius 4 Offset	0.0	in
ICT	CL5O	Radius 5 Offset	0.0	in
ICT	CL6O	Radius 6 Offset	0.0	in
ICT	BHVC	Radius type for borehole volume calcuations	Elliptical	
Wavesonic-I	WSOK	Process WSTT?	Yes	
Wavesonic-I	AFIL	Adaptive Filtering?	No	
Wavesonic-I	PINT	Process 1 Sample and Skip	0	
Wavesonic-I	PROM	Process Mode: M=1,MX=2,MY=3,MXY=4	4	
Wavesonic-I	DTSH	Delta -T Shale	100.00	uspf
Wavesonic-I	DTMT	Delta -T Matrix Type	User define	
Wavesonic-I	DTMA	Delta -T Matrix	47.60	uspf
Wavesonic-I	DTFL	Delta -T Fluid	189.00	uspf
Wavesonic-I	RHOM	Matrix Density	2.7100	g/cc
Wavesonic-I	RHOF	Fluid Density	1.0000	g/cc
Wavesonic-I	SMTH	Semblance Threshold	0.25	
Wavesonic-I	VPVS	VPVS Ratio for Porosity	1.40	
Wavesonic-I	APEQ	Acoustic Porosity Equation	Wyllie	
Wavesonic-I	NAVS	Navigation Source Tool	IDT	
ACRt Sonde	RTOK	Process ACRT?	Yes	
ACRt Sonde	MNSO	Minimum Tool Standoff	1.50	in
ACRt Sonde	TCS1	Temperature Correction Source	FP Lwr & FP Up	
ACRt Sonde	TPOS	Tool Position	Free Hanging	
ACRt Sonde	RMOP	Rmud Source	Mud Cell	
ACRt Sonde	RMIN	Minimum Resistivity for MAP	0.20	ohmm
ACRt Sonde	RMIN	Maximum Resistivity for MAP	200.00	ohmm
ACRt Sonde	THQY	Threshold Quality	0.50	
ACRt Sonde	MRFX	Fixed mud resistivity	2000	ohmm
BOTTOM_____				
Data: VOGEL_3306_1-1/10001 SP-GTET-CSNG-DSN-SDL-FLEX-IDT-ICT-WSTT-ACRT-CHUIDLE			Date: 30-Jun-13 08:02:11	

HALLIBURTON

INPUTS, DELAYS AND FILTERS TABLE

Mnemonic	Input Description	Delay (ft)	Filter Type	Filter Length (ft)
Depth Panel				
DEPTH	Tool	0.00	None	

TENS	Tension	0.00	NO	
CH_HOS				
DHTN	DownholeTension	0.00	BLK	0.000
SP Sub				
PLTC	Plot Control Mask	119.13	NO	
SP	Spontaneous Potential	119.13	BLK	1.250
SPR	Raw Spontaneous Potential	119.13	NO	
SPO	Spontaneous Potential Offset	119.13	NO	
GTET				
TPUL	Tension Pull	111.11	NO	
GR	Natural Gamma Ray API	111.11	TRI	1.750
GRU	Unfiltered Natural Gamma Ray API	111.11	NO	
EGR	Natural Gamma Ray API with Enhanced Vertical Resolution	111.11	W	1.416 , 0.750
ACCZ	Accelerometer Z	0.00	BLK	0.083
DEVI	Inclination	0.00	NO	
CSNG				
TPUL	Tension Pull	103.02	NO	
STAT	Status	103.02	NO	
FRMC	Tool Frame Count	103.02	BLK	0.250
TFRM	Total Frames	103.02	NO	
LSPD	Line Speed	103.02	BLK	0.250
CTIM	Accumulation time for sample	103.02	BLK	0.250
NOIS	Spectral Noise	103.02	BLK	0.250
STAB	Stabilizer Voltage in mv	103.02	BLK	0.250
STBP	Stabilizer 60 KEV Peak	103.02	BLK	0.250
AMER	Americium	103.02	BLK	0.250
FTMP	Flask PCB Temperature	103.02	BLK	0.250
SPEL	Low Energy Spectrum	103.02	BLK	0.250
SPEH	High Energy Spectrum	103.02	BLK	0.250
SSP	Stabilization Energy Spectrum	103.02	BLK	0.250
CSPC	CSNG Lo Hi Spectrum Data	103.02	NO	
DSNT				
TPUL	Tension Pull	92.70	NO	
RNDS	Near Detector Telemetry Counts	92.80	BLK	1.417
RFDS	Far Detector Telemetry Counts	93.55	TRI	0.583
DNTT	DSN Tool Temperature	92.80	NO	
DSNS	DSN Tool Status	92.70	NO	
ERND	Near Detector Telemetry Counts EVR	92.80	BLK	0.000
ERFD	Far Detector Telemetry Counts EVR	93.55	BLK	0.000
ENTM	DSN Tool Temperature EVR	92.80	NO	
SDLT				
TPUL	Tension Pull	82.80	NO	
PCAL	Pad Caliper	82.80	TRI	0.250
ACAL	Arm Caliper	82.80	TRI	0.250
IDT				
TPUL	Tension Pull	67.73	NO	
ACCX	Accelerometer X	67.73	NO	
ACCY	Accelerometer Y	67.73	NO	
ACCZ	Accelerometer Z	67.73	NO	
MAGX	magnetometer x with unit	67.73	NO	

MAGX	Magnetometer X with unit	67.73	NO	
MAGY	Magnetometer Y with unit	67.73	NO	
MAGZ	magnetometer z with unit	67.73	NO	
IAMP	Accelerometer Temperature	67.73	NO	
MTMP	Magnetometer Temperature	67.73	NO	
ICT				
TPUL	Tension Pull	56.69	NO	
	Arm Potentiometer excitation V	53.90	NO	
	Caliper 1 measurement	56.69	BLK	1.250
	Caliper 2 measurement	56.69	BLK	1.250
	Caliper 3 measurement	56.69	BLK	1.250
	Caliper 4 measurement	56.69	BLK	1.250
	Caliper 5 measurement	56.69	BLK	1.250
	Caliper 6 measurement	56.69	BLK	1.250
	Caliper Global measurement	56.69	BLK	1.250
MOTI	Motor Current	53.90	NO	
MOT1	Motor Voltage Monitor 1	53.90	NO	
STA1	Status word #1	53.90	NO	
STA2	Status word #2	53.90	NO	
PRES	Caliper percentage of total compression of the spring	53.90	NO	
HAZI	Hole Azimuth	56.69	NO	
RB	Relative Bearing	56.69	NO	
AZI1	PAD1 Azimuth	56.69	NO	
DEVI	Inclination	56.69	NO	
Wavesonic-I				
TPUL	Tension Pull	31.33	NO	
DPSX	Dipole Source X StructureI	19.83	NO	
DPSY	Dipole Source Y StructureI	19.83	NO	
DPSM	Monopole Source Structure	19.83	NO	
WVST	Wavesonic Compressed Data	31.33	NO	
TPUL	Tension Pull	31.33	NO	
XMS1	Wave Sonic Status Word 1	19.83	NO	
XMS2	Wave Sonic Status Word 2	19.83	NO	
XMS1	Wave Sonic XMITStatus Word 1	19.83	NO	
XMS1	Wave Sonic XMITStatus Word 2	19.83	NO	
F1HA	Dipole 1 HV After	19.83	NO	
F1HB	Dipole 1 HV Before	19.83	NO	
F2HA	Dipole 2 HV After	19.83	NO	
F2HB	Dipole 2 HV Before	19.83	NO	
F3HA	Monopole HV After	19.83	NO	
F3HB	Monopole HV Before	19.83	NO	
INVT	Input Voltage	19.83	NO	
5VOL	5 Volts	19.83	NO	
MI5A	Minus 5 Volts Analog	19.83	NO	
ITMP	Instrument Temperature	19.83	NO	
PL5A	Plus 5 Volts Analog	19.83	NO	
5VD	Plus 5 Volts Digital	19.83	NO	
TCUR	Tool Current	19.83	NO	
SUPV	Supply Voltage	19.83	NO	
PRVT	Preregulated voltage	19.83	NO	
PRVT	Pre-regulated voltage Xmter	19.83	NO	
TEMP	Temperature	19.83	NO	
ACQN	Acquisition Number	19.83	NO	
XDP	Delay Reference	31.33	NO	


MITM	MIT Mode	31.33	NO
VERS	Version	19.83	NO
D1CT	Dipole 1 Compressed Word Count	31.33	NO
D2CT	Dipole 2 Compressed Word Count	31.33	NO
MCNT	Monopole Compressed Word Count	31.33	NO
SEQN	Sequence Number	19.83	NO
FREV	Firmware Revision	19.83	NO
MSMP	Monopole Sample Rate	19.83	NO
MSMP	Dipole Sample Rate	19.83	NO
MFWF	Monopole Firing Waveform	19.83	NO
MFRQ	Monopole Frequency	19.83	NO
MDLY	Monopole Delay	19.83	NO
DXWF	Dipole X Firing Waveform	19.83	NO
XFRQ	Dipole X Frequency	19.83	NO
XDLY	Dipole X Delay	19.83	NO
DYWF	Dipole Y Firing Waveform	19.83	NO
YFRQ	Dipole Y Frequency	19.83	NO
YDLY	Dipole Y Delay	19.83	NO
DPSX	Dipole Source X StructureI	19.83	NO
DPSY	Dipole Source Y StructureI	19.83	NO
DPSM	Monopole Source Structure	19.83	NO
WVST	Wavesonic Compressed Data	31.33	NO
AUTM	Auto Mode	19.83	NO
SONM	tool mode for sonic - 0 for normal or 3 for calibration	19.83	NO
MSL	Monopole Lower Travel Time	31.33	NO
MSH	Monopole Upper Travel Time	31.33	NO
MLFC	Monopole-1 Lower Filter Bandpass Frequency Cut-off	19.83	NO
MUFC	Monopole-1 Upper Filter Bandpass Frequency Cut-off	19.83	NO
DLTT	Dipole Lower Travel Time	19.83	NO
DUTT	Dipole Upper Travel Time	19.83	NO
DLFC	Dipole Lower Filter Bandpass Frequency Cut-off	19.83	NO
DUFC	Dipole Upper Filter Bandpass Frequency Cut-off	19.83	NO
MUTE	WaveSonic Mute/Enable Channels and Sides map	19.83	NO
MUTS	Mute/Enable Sides	19.83	NO
WSRB	Relative Bearing	31.33	NO
WSAZ	WSX Azimuth Pad 1	31.33	NO
TPUL	Tension Pull	31.33	NO
WMP	Summed array of Monopole for SIDES - A,B,C,D	31.33	NO
WXX	Dipole X for SIDES - A-C	31.33	NO
WYY	Dipole Y for SIDES - B-D	31.33	NO
WXY	Dipole X for SIDES - B-D	31.33	NO
WYX	Dipole Y for SIDES - A-C	31.33	NO
TPUL	Tension Pull	31.33	NO
WMA	Monopole Waveform Side A - Channel 1 to Channel 8 Receivers	31.33	NO
WMB	Monopole Waveform Side B - Channel 1 to Channel 8 Receivers	31.33	NO
WMC	Monopole Waveform Side C - Channel 1 to Channel 8 Receivers	31.33	NO
WMD	Monopole Waveform Side D - Channel 1 to Channel 8 Receivers	31.33	NO
WXA	Dipole X Waveform Side A - Channel 1 to Channel 8 Receivers	31.33	NO
WXB	Dipole X Waveform Side B - Channel 1 to Channel 8 Receivers	31.33	NO
WXC	Dipole X Waveform Side C - Channel 1 to Channel 8 Receivers	31.33	NO
WXD	Dipole X Waveform Side D - Channel 1 to Channel 8 Receivers	31.33	NO


WYA	Dipole Y Waveform Side A - Channel 1 to Channel 8 Receivers	31.33	NO	
WYB	Dipole Y Waveform Side B - Channel 1 to Channel 8 Receivers	31.33	NO	
WYC	Dipole Y Waveform Side C - Channel 1 to Channel 8 Receivers	31.33	NO	
WYD	Dipole Y Waveform Side D - Channel 1 to Channel 8 Receivers	31.33	NO	
GAR1	Gain Side A Receiver 1	19.83	NO	
GAR2	Gain Side A Receiver 2	19.83	NO	
GAR3	Gain Side A Receiver 3	19.83	NO	
GAR4	Gain Side A Receiver 4	19.83	NO	
GAR5	Gain Side A Receiver 5	19.83	NO	
GAR6	Gain Side A Receiver 6	19.83	NO	
GAR7	Gain Side A Receiver 7	19.83	NO	
GAR8	Gain Side A Receiver 8	19.83	NO	
GBR1	Gain Side B Receiver 1	19.83	NO	
GBR2	Gain Side B Receiver 2	19.83	NO	
GBR3	Gain Side B Receiver 3	19.83	NO	
GBR4	Gain Side B Receiver 4	19.83	NO	
GBR5	Gain Side B Receiver 5	19.83	NO	
GBR6	Gain Side B Receiver 6	19.83	NO	
GBR7	Gain Side B Receiver 7	19.83	NO	
GBR8	Gain Side B Receiver 8	19.83	NO	
GCR1	Gain Side C Receiver 1	19.83	NO	
GCR2	Gain Side C Receiver 2	19.83	NO	
GCR3	Gain Side C Receiver 3	19.83	NO	
GCR4	Gain Side C Receiver 4	19.83	NO	
GCR5	Gain Side C Receiver 5	19.83	NO	
GCR6	Gain Side C Receiver 6	19.83	NO	
GCR7	Gain Side C Receiver 7	19.83	NO	
GCR8	Gain Side C Receiver 8	19.83	NO	
GDR1	Gain Side D Receiver 1	19.83	NO	
GDR2	Gain Side D Receiver 2	19.83	NO	
GDR3	Gain Side D Receiver 3	19.83	NO	
GDR4	Gain Side D Receiver 4	19.83	NO	
GDR5	Gain Side D Receiver 5	19.83	NO	
GDR6	Gain Side D Receiver 6	19.83	NO	
GDR7	Gain Side D Receiver 7	19.83	NO	
GDR8	Gain Side D Receiver 8	19.83	NO	
ACRt Sonde				
TPUL	Tension Pull	2.97	NO	
F1R1	ACRT 12KHz - 80in R value	9.22	BLK	0.000
F1X1	ACRT 12KHz - 80in X value	9.22	BLK	0.000
F1R2	ACRT 12KHz - 50in R value	6.72	BLK	0.000
F1X2	ACRT 12KHz - 50in X value	6.72	BLK	0.000
F1R3	ACRT 12KHz - 29in R value	5.22	BLK	0.000
F1X3	ACRT 12KHz - 29in X value	5.22	BLK	0.000
F1R4	ACRT 12KHz - 17in R value	4.22	BLK	0.000
F1X4	ACRT 12KHz - 17in X value	4.22	BLK	0.000
F1R5	ACRT 12KHz - 10in R value	3.72	BLK	0.000
F1X5	ACRT 12KHz - 10in X value	3.72	BLK	0.000
F1R6	ACRT 12KHz - 6in R value	3.47	BLK	0.000
F1X6	ACRT 12KHz - 6in X value	3.47	BLK	0.000
F2R1	ACRT 36KHz - 80in R value	9.22	BLK	0.000
F2X1	ACRT 36KHz - 80in X value	9.22	BLK	0.000


F2R2	ACRT 36KHz - 50in R value	6.72	BLK	0.000
F2X2	ACRT 36KHz - 50in X value	6.72	BLK	0.000
F2R3	ACRT 36KHz - 29in R value	5.22	BLK	0.000
F2X3	ACRT 36KHz - 29in X value	5.22	BLK	0.000
F2R4	ACRT 36KHz - 17in R value	4.22	BLK	0.000
F2X4	ACRT 36KHz - 17in X value	4.22	BLK	0.000
F2R5	ACRT 36KHz - 10in R value	3.72	BLK	0.000
F2X5	ACRT 36KHz - 10in X value	3.72	BLK	0.000
F2R6	ACRT 36KHz - 6in R value	3.47	BLK	0.000
F2X6	ACRT 36KHz - 6in X value	3.47	BLK	0.000
F3R1	ACRT 72KHz - 80in R value	9.22	BLK	0.000
F3X1	ACRT 72KHz - 80in X value	9.22	BLK	0.000
F3R2	ACRT 72KHz - 50in R value	6.72	BLK	0.000
F3X2	ACRT 72KHz - 50in X value	6.72	BLK	0.000
F3R3	ACRT 72KHz - 29in R value	5.22	BLK	0.000
F3X3	ACRT 72KHz - 29in X value	5.22	BLK	0.000
F3R4	ACRT 72KHz - 17in R value	4.22	BLK	0.000
F3X4	ACRT 72KHz - 17in X value	4.22	BLK	0.000
F3R5	ACRT 72KHz - 10in R value	3.72	BLK	0.000
F3X5	ACRT 72KHz - 10in X value	3.72	BLK	0.000
F3R6	ACRT 72KHz - 6in R value	3.47	BLK	0.000
F3X6	ACRT 72KHz - 6in X value	3.47	BLK	0.000
RMUD	Mud Resistivity	12.76	BLK	0.000
F1RT	Transmitter Current Raw 12K X Receiver	2.97	BLK	0.000
F1XT	Transmitter Reference 12 KHz Imaginary Signal	2.97	BLK	0.000
F2RT	Transmitter Reference 36 KHz Real Signal	2.97	BLK	0.000
F2XT	Transmitter Reference 36 KHz Imaginary Signal	2.97	BLK	0.000
F3RT	Transmitter Reference 72 KHz Real Signal	2.97	BLK	0.000
F3XT	Transmitter Reference 72 KHz Imaginary Signal	2.97	BLK	0.000
TFPU	Upper Feedpipe Temperature Calculated	2.97	BLK	0.000
TFPL	Lower Feedpipe Temperature Calculated	2.97	BLK	0.000
ITMP	Instrument Temperature	2.97	BLK	0.000
TCVA	Temperature Correction Values Loop Off	2.97	NO	
TIDV	Instrument Temperature Derivative	2.97	NO	
TUDV	Upper Temperature Derivative	2.97	NO	
TLDV	Lower Temperature Derivative	2.97	NO	
TRBD	Receiver Board Temperature	2.97	NO	
Microlog Pad				
TPUL	Tension Pull	82.98	NO	
MINV	Microlog Lateral	82.98	BLK	0.750
MNOR	Microlog Normal	82.98	BLK	0.750
SDLT Pad				
TPUL	Tension Pull	82.79	NO	
NAB	Near Above	82.61	BLK	0.920
NHI	Near Cesium High	82.61	BLK	0.920
NLO	Near Cesium Low	82.61	BLK	0.920
NVA	Near Valley	82.61	BLK	0.920
NBA	Near Barite	82.61	BLK	0.920
NDE	Near Density	82.61	BLK	0.920
NPK	Near Peak	82.61	BLK	0.920
NLI	Near Lithology	82.61	BLK	0.920
NBAU	Near Barite Unfiltered	82.61	BLK	0.250
NLIU	Near Lithology Unfiltered	82.61	BLK	0.250
FAB	Far Above	82.96	BLK	0.250


FHI	Far Cesium High	82.96	BLK	0.250
FLO	Far Cesium Low	82.96	BLK	0.250
FVA	Far Valley	82.96	BLK	0.250
FBA	Far Barite	82.96	BLK	0.250
FDE	Far Density	82.96	BLK	0.250
FPK	Far Peak	82.96	BLK	0.250
FLI	Far Lithology	82.96	BLK	0.250
PTMP	Pad Temperature	82.80	BLK	0.920
NHV	Near Detector High Voltage	82.19	NO	
FHV	Far Detector High Voltage	82.19	NO	
ITMP	Instrument Temperature	82.19	NO	
DDHV	Detector High Voltage	82.19	NO	
Data: VOGEL_3306_1-1\0001 SP-GTET-CSNG-DSN-SDL-FLEX-IDT-ICT-WSTT-ACRT-CHIDLE				Date: 30-Jun-13 08:02:22


COMPANY	SANDRIDGE ENERGY		
WELL	VOGEL 3306 1-1		
FIELD	STOHRVILLE		
COUNTY	HARPER	STATE	KANSAS
HALLIBURTON		ARRAY COMPENSATED TRUE RESISTIVITY LOG	











0	Gamma API	150	MD 1 : 1200 ft	20in Resistivity 2ft Res	0	50			
				ohm-metre					
	api	SP		90in Resistivity 2ft Res	0	50			
				ohm-metre					
				1000	90in Conductivity 2ft Res	0			
				mmho per metre					

HALLIBURTON

Plot Time: 30-Jun-13 13:15:43
Plot Range: 610 ft to 4950 ft
Data: VOGEL_3306_1-1\Well Based\CASING\
Plot File: \\LOCAL\VOGEL_3306_1-1\0001 SP-GTET-CSNG-DSN-SDL-FLEX-IDT-ICT-WSTT-ACRT-CHL... \ACRT_1.lib

1 INCH MAIN LOG