



Dual Compensated Porosity Log

Pioneer Energy Services

API No.

15-007-24104-00-00

Company Val Energy, Inc.
Well 1877 Farms LLC #1-10
Field Wildcat
County Barber State Kansas

Location S2 NW NW NW
405' FNL / 330' FWL
Sec: 10 Twp: 33S Rge: 12W

Other Services
DIL
MEL

Permanent Datum Ground Level Elevation 1495
Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Elevation
K.B. 1505
D.F.
G.L. 1495

Date 11/8/2013

Run Number One
Type Log CNL / CDL

Depth Driller 4850

Depth Logger 4860

Bottom Logged Interval 4839

Top Logged Interval 3000

Type Fluid In Hole Chemical

Salinity, PPM CL 7000

Density 9.2

Level Full

Max. Rec. Temp. F 125

Operating Rig Time 4 Hours

Equipment -- Location 17 Days

Recorded By R. Barnhart

Witnessed By Zeb Stewart

Borehole Record

Casing Record

Run No.	Bit	From	To	Size	Wgt.	From	To
---------	-----	------	----	------	------	------	----

1	12.25	00	223	8.625	24#	00	223
---	-------	----	-----	-------	-----	----	-----

2	7.875	223	4850				
---	-------	-----	------	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Pioneer Energy Services
www.pioneerres.com
785 625 3858

Medicine Lodge, KS:
8S to Sumac Rd., 2W, S into

Database File: c:\warrior\data\val_1877 farms llc #1-10\val_hd.db
Dataset Pathname: dil\valmain
Presentation Format: cdl
Dataset Creation: Fri Nov 08 12:35:40 2013
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			

























