



Green Country Wireline

GAMMA RAY
CEMENT BOND LOG
CCL/VDL

Company KANSAS ENERGY COMPANY		CountryUSA	
Well HILLS # 15-1			
Field PERU-SEDAN			
County CHAUTAUQUA			
State KANSAS			
Company KANSAS ENERGY COMPANY		Country USA	
Well HILLS # 15-1			
Field PERU-SEDAN			
County CHAUTAUQUA			
State KANSAS			
Location: API #: 15-019-27385		Other Services	
SEC 10 TWP 34S RGE 12E			
Permanent Datum Elevation 962'		Elevation	
Log Measured From		K.B.	
Drilling Measured From		D.F.	
		GL 962'	
Date 1-29-14	Run Number 1		
Depth Driller 1212'	Depth Logger 1179'		
Bottom Logged Interval 1178'	Top Log Interval SURFACE		
Open Hole Size	WATER		
Type Fluid			
Density / Viscosity			
Max. Recorded Temp.	SURFACE		
Estimated Cement Top			
Time Well Ready			
Time Logger on Bottom			
Equipment Number 3	DEWEY		
Location HERRIN			
Recorded By MR JONES			
Witnessed By			
Borehole Record		Tubing Record	
Run Number	Bit	From	To
		Size	Weight
			From
			To
Casing Record	Size	Wgt/Ft	Top
Surface String	8.625"		SURFACE
Prot. String			
Production String	4.5"		SURFACE
Liner			TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Green Country Wireline

GR CBL CCL VDL




Database File: hills151.db
Dataset Pathname: hills151/run1/pass1
Presentation Format: standard
Dataset Creation: Wed Jan 29 07:48:07 2014 by Log Std Casedhole 09061
Charted by: Depth in Feet scaled 1:240


Collar Locator	-1	800	TT3FT (usec)	200	200	WVF3FT	1200
Gamma Ray (GAPI)	75	-3	AMP3FT (mV)	300			



3	Collar Locator	-1
0	Gamma Ray (GAPI)	75

800	TT3FT (usec)	200	200	WVF3FT	1200
-3	AMP3FT (mV)	300			





250



300


350

400

450

500





500



550


600

650



700


750





750
800
850
900
950
1000





Collar Locator	-1	800	TT3FT (usec)	200	200	WVF3FT	1200
Gamma Ray (GAPI)	75	-3	AMP3FT (mV)	300			