



Green Country Wireline

GAMMA RAY
CEMENT BOND LOG
CCL/VDL

Company		KANSAS ENERGY COMPANY		Country	
Well		BP # 6-11			
Field		PERU-SEDAN			
County		CHAUTAUQUA			
State		KANSAS			
Location:		API #: 15-019-27377		Other Services	
Permanent Datum		NE SW SE SE			
Log Measured From		495' FSL & 825' FEL			
Drilling Measured From		SEC 6 TWP 34S RGE 12E		Elevation 883'	
Date		1-27-14			
Run Number		1			
Depth Driller		1088'			
Depth Logger		1072'			
Bottom Logged Interval		1071'			
Top Log Interval		SURFACE			
Open Hole Size		WATER			
Type Fluid					
Density / Viscosity					
Max. Recorded Temp.		SURFACE			
Estimated Cement Top					
Time Well Ready					
Time Logger on Bottom					
Equipment Number		3			
Location		DEWEY			
Recorded By		HERRIN			
Witnessed By		MR JONES			
Run Number		Bit		From To	
Size		Weight		To	
Casing Record		Size		Weight	
Surface String		8.625"		SURFACE	
Prot. String		4.5"		SURFACE	
Production String				TD	
Liner					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Green Country Wireline


GR CBL CCL VDL


Database File: bp611.db
Dataset Pathname: bp611/run1/pass1
Presentation Format: standard
Dataset Creation: Mon Jan 27 03:54:18 2014 by Log Std Casedhole 09061
Charted by: Depth in Feet scaled 1:240

9	Collar Locator	-1	800	TT3FT (usec)	200	200	WVF3FT	1200
0	Gamma Ray (GAPI)	75	-3	AMP3FT (mV)	300			



Collar Locator	-1	800	TT3FT (usec)	200	200	WVF3FT	1200
Gamma Ray (GAPI)	75	-3	AMP3FT (mV)	300			





250



300


350

400



450



500






500 550 600 650 700 750







1000


1050

BP # 6-11

1100


Gamma Ray RD 1071'

9	Collar Locator	-1
0	Gamma Ray (GAPI)	75



TD 1072'

800	TT3FT (usec)	200
-3	AMP3FT (mV)	300



CBL RD 1060'

200	WVF3FT	1200
-----	--------	------