PIONEER

Pioneer Energy Services

Microresistivity Log

Company	American Warrior, Inc.
Well	Jenetta #3-14
Field	Chrif East
County	Ness State Kansas
Location	986' FSL & 1912' FEL
Sec: 14	Twp: 19S Rge: 25W
Permanent Datum	Ground Level Elevation 2378
Log Measured From	Kelly Bushing 11 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing
API No.	15-135-25,702-00-00
Other Services	CNL/CDL DIL
Elevation	K.B. 2389 D.F. G.L. 2378


| | | |


Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0


0	Micro Inverese 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD




3900
3950
4000
4050
4100
-31
-31
-31
-30
-30


4150
4200
4250
4300
-30
-30
-30


4350
4400
4450
4500
-30
-30
-30
0
Gamma Ray
150
6
Micro Log Caliper (GAPI)
16
-200
SP (mV)
0
0
Micro Inverese 1 X 1
40
0
Micro Normal 2"
40
15000
Line Weight
0

LSPD