



Dual Compensated Porosity Log

Pioneer Energy Services

API No.

15-171-20995-00-00

Company Landmark Resources, Inc.

Well Rose # 2-3

Field Wildcat

County Scott

State Kansas

Location

169' FNL & 2250' FWL

Sec: 3

Twp: 17S

Rge: 34W

Other Services
DIL
MEI/BHCS

Permanent Datum

Ground Level
Kelly Bushing

Elevation 3126
11 Ft. Above Perm. Datum

Elevation

Log Measured From

Kelly Bushing

K.B. 3137
D.F.
G.L. 3126

Drilling Measured From

Kelly Bushing

K.B. 3137
D.F.
G.L. 3126

Date

11/07/2013

Run Number

One

Type Log

CNL / CDL

Depth Driller

4890

Depth Logger

4888

Bottom Logged Interval

4867

Top Logged Interval

3500

Type Fluid In Hole

Chemical

Salinity, PPM CL

4000

Density

9.2

Level

Full

Max. Rec. Temp. F

127

Operating Rig Time

6 Hours

Equipment -- Location

91 Hays

Recorded By

Y. Ruiz

Witnessed By

Terry McLeod

Borehole Record

Casing Record

Run No.

Bit

From

To

Size

Wgt.

From

To

1 12.25

00

265

8.625

24#

00

265

2 7.875

265

4890


Comments


Thank you for using Pioneer Energy Services
www.pioneerres.com
785 625 3858
Scott City,
North to 230 Rd, 4 West, 1 North, 4 1/2 West,
South into


Database File: c:\warrior\data\landmark_rose # 2-3\landmark_10713hd.db
Dataset Pathname: DIL/landstack
Presentation Format: cdl
Dataset Creation: Thu Nov 07 20:24:23 2013
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30		Compensated Density		-10	
2		Bulk Density		3	
15000		Line Tension		0	
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD







Database File: c:\warrior\data\landmark_rose # 2-3\landmark_10713hd.db
Dataset Pathname: DIL/landstack
Presentation Format: cndlspec
Dataset Creation: Thu Nov 07 20:24:23 2013
Charted by: Depth in Feet scaled 1:240

