



NABORS

**COMPLETION
& PRODUCTION
SERVICES CO.**

**MICRO
LOG**

Company	VINCENT OIL CORPORATION	Company	VINCENT OIL CORPORATION	Location:	API # : 15-057-20917-0000	Other Services CDL/CNL/PE DIL/SONIC
Well	FEIKERT FARMS #3-8	Well	FEIKERT FARMS #3-8	SEC 8	TWP 29S	RGE 22W
Field	KINGSDOWN NORTHWEST	Field	KINGSDOWN NORTHWEST	Permanent Datum	GROUND LEVEL	Elevation 2519
County	FORD	County	FORD	Log Measured From	KELLY BUSHING 10' A.G.L.	Elevation 2527
State	KANSAS	State	KANSAS	Drilling Measured From	KELLY BUSHING	G.L. 2519
Date	12/13/13	Run Number	TWO			
Depth Driller	5450	Depth Logger	5456			
Bottom Logged Interval	5441	Top Log Interval	4200			
Casing Driller	8 5/8"@650'	Casing Logger	649			
Bit Size	7 7/8"	Type Fluid in Hole	CHEMICAL MUD		CHLORIDES 12,000 PPM	
Density / Viscosity	9.4/60	pH / Fluid Loss	10.5/12.0			
Source of Sample	FLOWLINE	Rim @ Meas. Temp	.550@80F			
Rmf @ Meas. Temp	.413@80F	Rmc @ Meas. Temp	.660@80F			
Source of Rmf / Rmc	MEASUREMENT	Rim @ BHT	.341@129F			
Time Circulation Stopped	5.5 HOURS	Time Logger on Bottom	7:45 P.M.			
Maximum Recorded Temperature	129F	Equipment Number	4854			
Location	HAYS, KANSAS	Recorded By	JEFF LUEBBERS			
Witnessed By	KEN LeBLANC					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING "NABORS" HAYS, KANSAS (785) 628-6395
DIRECTIONS
KINGSDOWN, KS., 1E. ON HWY 54 TO "RD. 126", 1/2N., W. INTO @ GRAIN BINS




NABORS


**COMPLETION
& PRODUCTION**

MAIN SECTION

Database File: 011825pe.db
 Dataset Pathname: pass6.3
 Presentation Format: micro
 Dataset Creation: Sat Dec 14 00:12:34 2013 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		







4400

4450

4500

4550






4600


4650

4700

4750

4800







4850

4900

4950

5000






5050


5100

5150

5200

5250





0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			





NABORS
COMPLETION
& PRODUCTION
SERVICES CO.

REPEAT SECTION

Database File: 011825pe.db
Dataset Pathname: pass5.1
Presentation Format: micro
Dataset Creation: Fri Dec 13 23:02:50 2013 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3) 10			






5200


5250

5300

5350

5400





Calibration Report

Database File: 011825pe.db
 Dataset Pathname: pass6.3
 Dataset Creation: Sat Dec 14 00:12:34 2013 by Calc SOC 120430

MICRO Calibration Report

Serial Number: 070911
 Tool Model: ProbeN
 Performed: Fri Dec 13 22:20:34 2013

Caliper Calibration: Gain=3.838 Offset=2.739
 References Low Cal High Cal
 7.700 15.000
 Readings 1.293 3.195

1.5" Calibration: Gain=28.000 Offset=0.000
 References Low Cal High Cal
 0.000 20.000
 Readings 0.001 1.280

2" Calibration: Gain=50.000 Offset=-0.300
 References Low Cal High Cal
 0.000 20.000
 Readings 0.003 1.113

Gamma Ray Calibration Report

Serial Number: 070558
 Tool Model: OPEN_GR
 Performed: Fri Dec 13 21:59:31 2013

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
 Calibrator Reading: 1.0 cps

Sensitivity: 0.2200 GAPI/cps