



NABORS

**COMPLETION
& PRODUCTION
SERVICES CO.**

**SONIC
LOG**

Company		VINCENT OIL CORPORATION	
Well		FEIKERT FARMS #3-8	
Field		KINGSDOWN NORTHWEST	
County		FORD	
State		KANSAS	
Location:		API # : 15-057-20917-0000 2666' FSL & 1490' FEL	
SEC 8 TWP 29S RGE 22W Permanent Datum Log Measured From Drilling Measured From		GROUND LEVEL KELLY BUSHING 10' A.G.L. KELLY BUSHING	
		Elevation K.B. 2529 D.F. 2527 G.L. 2519	
Date	12/13/13		
Run Number	TWO		
Depth Driller	5450		
Depth Logger	5456		
Bottom Logged Interval	5450		
Top Log Interval	600		
Casing Driller	8 5/8" @ 650'		
Casing Logger	649		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 12,000 PPM	
Density / Viscosity	9.4/60		
pH / Fluid Loss	10.5/12.0		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.550 @ 80F		
Rmf @ Meas. Temp	.413 @ 80F		
Rmc @ Meas. Temp	.660 @ 80F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.341 @ 129F		
Time Circulation Stopped	5.5 HOURS		
Time Logger on Bottom	7:45 P.M.		
Maximum Recorded Temperature	129F		
Equipment Number	4854		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	KEN LeBLANC		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING "NABORS" HAYS, KANSAS (785) 628-6395
 DIRECTIONS
 KINGSDOWN, KS., 1E. ON HWY 54 TO "RD. 126", 1/2N., W. INTO @ GRAIN BINS



NABORS

**COMPLETION
& PRODUCTION**

MAIN SECTION

Database File:

011825pe.db

Dataset Pathname:

pass6.4

Presentation Format:

slt

Dataset Creation:


Sat Dec 14 00:47:11 2013 by Calc SOC 120430


Charted by:


Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10

0	MINMK	20	TBHV	0	ITT (msec)	20		
			0 (ft3)	10				














1250


1300

1350

1400









1700


1750

1800

1850








2100


2150

2200

2250

2300







2350

2400

2450

2500






2550



2600



2650


2700


2750














3450


3500


3550

3600











4100


4150

4200

4250









4550

4600

4650

4700






4750


4800

4850

4900

4950







5000


5050

5100

5150










NABORS
COMPLETION
& PRODUCTION
SERVICES CO.

REPEAT SECTION

Database File: 011825pe.db
Dataset Pathname: pass5.5
Presentation Format: slt
Dataset Creation: Sat Dec 14 00:59:13 2013 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240





5150

5200

5250

5300

