



Dual Compensated Porosity Log

Pioneer Energy Services

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Pioneer Energy Services
www.pioneerres.com
785 625 3858
Bunker Hill,
South to the dead end, East to 196 Rd, 2 South,
East & North into



Database File: c:\warrior\data\rama_beran #1-10\rama_0221714hd.db
Dataset Pathname: dil\ramstck
Presentation Format: cdl
Dataset Creation: Mon Feb 17 21:44:58 2014
Charted by: Depth in Feet scaled 1:600


Charted by: Depth in Feet scaled 1:600					
0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425 -0.25
			Correction		
			LSPD		
			0.25		







Database File: c:\warrior\data\rama_beran #1-10\rama_0221714hd.db
 Dataset Pathname: dil/ramstck
 Presentation Format: cndlspec
 Dataset Creation: Mon Feb 17 21:44:58 2014
 Charted by: Depth in Feet scaled 1:240










Sandstone Matrix (2.68)

Database File: c:\warrior\data\rama_beran #1-10\rama_0221714hd.db
 Dataset Pathname: dil/ramss
 Presentation Format: cndldolo
 Dataset Creation: Mon Feb 17 21:04:06 2014
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compansated Neutron	-10
30	Compensated Density	-10
15000	Line Tension	0
-0.25	Correction	0.25
	LSPD	



0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compansated Neutron	-10
30	Compensated Density	-10
15000	Line Tension	0
-0.25	Correction	0.25
	LSPD	

