



MIDWEST SURVEYS
LOGGING - PERFORATING - CONSULTING SERVICES
P.O. Box 68, Osawatomie, KS 66064
913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No.	Company SCZ Resources, LLC.									
	Well Baker No. SCZ-21									
	Field Paola - Rantoul									
	County Miami		State		Kansas					
API # 15-121-30,115	Location		495' FNL & 1485' FWL SW-NW-NE-NW						Other Services	
	Sec. 26		Twp. 18s		Rge. 22e					
	Permanent Datum		GL		Elevation NA					
	Log Measured From		GL		K.B. NA D.F. NA G.L. NA					
	Drilling Measured From		GL							
Date			06-27-2014							
Run Number			One							
Depth Driller			420.0							
Depth Logger			399.0							
Bottom Logged Interval			398.0							
Top Log Interval			20.0							
Fluid Level			Full							
Type Fluid			Water							
Density / Viscosity			NA							
Salinity - PPM Cl			NA							
Max Recorded Temp			NA							
Estimated Cement Top			0.0							
Equipment No.	Location		102		Oswatomie					
Recorded By			Gary Windisch							
Witnessed By			Jorge Ranz							
RUN	BORE-HOLE RECORD				CASING RECORD					
No.	BIT	FROM	TO	SIZE	WGT.	FROM	TO			
One	9.875"	0.0	20.0	7.00"	17.0 #	0.0	20.0			
Two	5.875"	20.0	420.0	2.875"	6.5 #	0.0	400.0			

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
JTC Oil, Inc.

Database File: baker21scz.db
Dataset Pathname: pass1
Presentation Format: gr-n-ccl
Dataset Creation: Fri Jun 27 14:50:13 2014 by Log SCH 111116
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (cps)	150	-1 CCL 1	100	Neutron (cps)	1900
150	Gamma Ray (cps)	300				



0	Gamma Ray (cps)	150	-1 CCL 1	100	Neutron (cps)	1900
150	Gamma Ray (cps)	300				