Green Country Wireline

GAMMA RAY CEMENT BOND LOG CCL/VDL

Company KANSAS ENERGY COMPANY
Well SCOTT # 11-1
Field ELGIN
County CHAUTAUQUA
State KANSAS
Country USA

Company	KANSAS ENERGY COMPANY
Well	SCOTT # 11-1
Field	ELGIN
County	CHAUTAUQUA
State	KANSAS Country USA

Location: API # : 15-019-27399

SW SE NE SE
1390' FSL & 530' FEL
SEC 11 TWP 34S RGE 10E

Other Services

Elevation
K.B.
D.F.
G.L. 1026'

Permanent Datum Elevation 1026'
Log Measured From
Drilling Measured From

Date	4-21-14
Run Number	1
Depth Driller	1575'
Depth Logger	1533'
Bottom Logged Interval	1532'
Top Log Interval	SURFACE
Open Hole Size	----
Type Fluid	WATER
Density / Viscosity	----
Max. Recorded Temp.	----
Estimated Cement Top	SURFACE
Time Well Ready	----
Time Logger on Bottom	----
Equipment Number	3
Location	DEWEY
Recorded By	HERREN
Witnessed By	MR BUCK

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String	8.625"		SURFACE	40'
Prot. String				
Production String	4.5"		SURFACE	TD
Liner				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Green Country Wireline


GR CBL CCL VDL


Database File: scott11-1.db
Dataset Pathname: scott11-1/run1/pass1
Presentation Format: standard
Dataset Creation: Mon Apr 21 09:22:45 2014 by Log Std Casedhole 09061
Charted by: Depth in Feet scaled 1:240


Collar Locator	-1	800	TT3FT (usec)	200	WVF3FT 1200
Gamma Ray (GAPI)	50	-3	AMP3FT (mV)	300	200






Collar Locator -1
Gamma Ray (GAPI) 50
800 TT3FT (usec) 200
-3 AMP3FT (mV) 300
200 WVF3FT 1200
50
100
150
200
250



500
450
400
350
300
250


500
550
600
650
700
750


750
800
850
900
950
1000


1000
1050
1100
1150
1200
1250


1250
1300
1350
1400
1450
1500


1500
Gamma Ray RD 1532'
TD 1533'
CBL RD 1521'
SCOTT # 11-1
1550
Collar Locator -1
Gamma Ray (GAPI) 50
800 TT3FT (usec) 200
-3 AMP3FT (mV) 300
200 WVF3FT 1200