



MIDWEST SURVEYS

LOGGING - PERFORATING - CONSULTING SERVICES

P.O. Box 68, Osawatomie, KS 66064

913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No.

API # 15-121-29,782

Company John Herrick

Well Lowe No.-25

Field Paola - Rantoul

County Miami State Kansas

Location

3109' FSL & 1700' FEL
SE-SW-NE

Other Services

Sec. 30 Twp. 17s Rge. 22e

Elevation

Permanent Datum GL Elevation NA

Log Measured From GL

K.B. NA

Drilling Measured From GL

D.F. NA

G.L. NA

Date	08-11-2014		
Run Number	One		
Depth Driller	565.0		
Depth Logger	547.0		
Bottom Logged Interval	546.0		
Top Log Interval	20.0		
Fluid Level	Full		
Type Fluid	Water		
Density / Viscosity	NA		
Salinity - PPM Cl	NA		
Max Recorded Temp	NA		
Estimated Cement Top	0.0		
Equipment No.	Location	102	Osawatomie
Recorded By	Gary Windisch		
Witnessed By	John Herrick		

RUN		BORE HOLE RECORD			CASING RECORD		
No.	BIT	FROM	TO	SIZE	WGT.	FROM	TO
One	9.875"	0.0	20.0	7.00"	17.0 #	0.0	20.0
Two	5.625"	20.0	565.0	2 8/5"	6.5 #	0.0	559.30
				Bolt	Set	At	547.0

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
Hughes Drilling Company

Database File: lowe25.db

Dataset Pathname: pass1

Presentation Format: gr-n-ccl

Dataset Creation: Mon Aug 11 16:47:14 2014 by Log SCH 111116

Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (cps)	150
150	Gamma Ray (cps)	300

-1 CCL 1
100

Neutron (cps)

1900









