



**COMPLETION
& PRODUCTION
SERVICES CO.**

**SONIC
LOG**

Company	SHELBY RESOURCES, LLC.	
Well	NANCY #3-17	
Field	TRAPP	
County	BARTON	State KANSAS
Location:	API # : 15-009-25969-00-00	
Permanent Datum	2146' FNL & 1701' FWL NE - SW - SE - NW	Other Services CNL/CDL DIL/MEL
Log Measured From	GROUND LEVEL Elevation 1965 KELLY BUSHING 13' A.G.L.	
Drilling Measured From	SEC 17 TWP 17S RGE 13W KELLY BUSHING	Elevation K.B. 1978 D.F. 1976 G.L. 1965
Date	5/9/14	
Run Number	TWO	
Depth Driller	3525	
Depth Logger	3528	
Bottom Logged Interval	3518	
Top Log Interval	2800	
Casing Driller	8 5/8" @ 948	
Casing Logger	942	
Bit Size	7 7/8"	
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 4,400 PPM
Density / Viscosity	9.2/68	
pH / Fluid Loss	11.0/7.2	
Source of Sample	FLOWLINE	
Rm @ Meas. Temp	0.60 @ 91F	
Rmt @ Meas. Temp	0.80 @ 91F	
Rmc @ Meas. Temp	0.96 @ 91F	
Source of Rmt / Rmc	MEASUREMENT	
Rm @ BHT	.65 @ 112F	
Time Circulation Stopped	2 HOURS	
Time Logger on Bottom		
Maximum Recorded Temperature	123F	
Equipment Number	4010	
Location	HAYS, KANSAS	
Recorded By	IAN MABB	
Witnessed By	JEREMY SCHWARTZ	

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU FOR USING NABORS, HAYS, KS. (785) 628-6395
DIRECTIONS:
HOSINGTON, KS. - 4 MILES NORTH ON SUSANK RD. - 1 MILE WEST - 1/4 SOUTH - EAST INTO

Database File: 24241ddn.db
Dataset Pathname: pass8.2
Presentation Format: _slt
Dataset Creation: Sat May 10 02:22:59 2014 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

Charted by:		Depth in Feet scaled 1:2.10				
0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			







1150

1200

1250

1300






1350


1400

1450

1500

1550







1600



1650


1700

1750










2250

2300

2350

2400






2450


2500

2550

2600

2650







2700

2750

2800

2850







2900

2950

3000

3050






3100


3150

3200

3250

3300






0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			




REPEAT SECTION

Database File: 24241ddn.db
 Dataset Pathname: pass7.1
 Presentation Format: _slt
 Dataset Creation: Sat May 10 01:23:29 2014 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
-----						-----		
0	MINMK	20	TBHV	0	ITT (msec)		20	
			0 (ft3)	10				





0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	

0	MINMK	20	TRHV	0	ITT (msec)	20	

0	10	0 (ft3)	10
---	----	---------	----