



Pioneer Energy Services

Radiation Guard Log

API No.	Company Berexco, LLC				
	Well Lillie #2-26				
	Field East Fork				
	County	Rawlins	State	Kansas	
15-153-20987-00-00	Location	330' FNL & 1175' FWL			Other Services MEL
	Sec: 26	Twp: 1S	Rge: 36W	Elevation K.B. 3285 D.F. 3274 G.L. 3274	
	Permanent Datum	Ground Level	Elevation 3274		
	Log Measured From	Kelly Bushing	11 Ft. Above Perm. Datum		
Drilling Measured From	Kelly Bushing				
Date	3/6/2014				
Run Number	One				
Depth Driller	4560				
Depth Logger	4563				
Bottom Logged Interval	4562				
Top Log Interval	300				
Casing Driller	8.625 @ 314				
Casing Logger	313				
Bit Size	7.875				
Type Fluid in Hole	Chemical				
Salinity, ppm CL	800				
Density / Viscosity	9.3	50			
pH / Fluid Loss	10.0	6.4			
Source of Sample	Flowline				
Rm @ Meas. Temp	0.92 @ 42				
Rmf @ Meas. Temp	0.69 @ 42				
Rmc @ Meas. Temp	1.24 @ 42				
Source of Rmf / Rmc	Charts				
Rm @ BHT	0.31 @ 124				
Operating Rig Time	3 Hours				
Max Rec. Temp. F	124				
Equipment Number	91				
Location	Hays				
Recorded By	D. Schmidt				
Witnessed By	Bryan Bynog				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Pioneer Energy Services
www.pioneerres.com
785 625 3858
Beardsley,
North to AA Rd, 4 3/4 West,
South into


Database File: c:\warrior\data\berexco_lillie #2-26\berexco_030614hd.db
Dataset Pathname: rag/brxrag
Presentation Format: rag2in
Dataset Creation: Thu Mar 06 13:28:37 2014
Charted by: Depth in Feet scaled 1:600

0 Gamma Ray 150

0.2 lgrd 2000

LSPD





850

900

950

1000

1050

1100

1150

1200

1250

1300

1350

-98

-98

-98

-98

-98

-98


-98

-98


-98

-98


-98



1400
1450
1500
1550
1600
1650
1700
1750
1800
1850
1900



-98
-98
-98
-95
-95
-95
-95
-95
-95
-95
-95



1950

2000

2050

2100

2150

2200


2250

2300

2350

2400

2450



-95

-95

-95

-95

-95

-95


-93

-93

-93

-93

-93



2500

2550

2600

2650

2700

2750


2800

2850

2900

2950

3000



-93

-93

-93

-93

-93

-93



-94




-93


-91

-91


-91







Database File: c:\warrior\data\berexco_lillie #2-26\berexco_030614hd.db
Dataset Pathname: rag/brxrag
Presentation Format: rag
Dataset Creation: Thu Mar 06 13:28:37 2014
Charted by: Depth in Feet scaled 1:240



Database File: c:\warrior\data\berexco_lillie #2-26\berexco_030614hd.db
Dataset Pathname: rag/brxrag
Presentation Format: rag
Dataset Creation: Thu Mar 06 13:28:37 2014
Charted by: Depth in Feet scaled 1:240

