



Dual Compensated Porosity Log

Pioneer Energy Services

API No.

15-055-22,276-00-00

Company **Lebsack Oil Production, Inc.**

Well **Garden City No. 5-12**

Field **Tanker**

County **Finney** State **Kansas**

Location **1320' FNL & 1320' FEL**

Other Services
DIL/MEI

Sec: **12** Twp: **22S** Rge: **34W**

Permanent Datum **Ground Level** Elevation **2906**

Log Measured From **Kelly Bushing** 11 Ft. Above Perm. Datum

Elevation
K.B. 2917
D.F. 2906
G.L. 2906

Date **2/27/14**

Run Number **One**

Type Log **CNL / CDL**

Depth Driller **4860**

Depth Logger **4866**

Bottom Logged Interval **4845**

Top Logged Interval **3600**

Type Fluid In Hole **Chemical**

Salinity, PPM CL **3,700**

Density **9.4**

Level **Full**

Max. Rec. Temp. F **125**

Operating Rig Time **3 1/2 Hours**

Equipment -- Location **17 Hays**

Recorded By **J. Henrickson**

Witnessed By **Josh Austin**

Borehole Record

Casing Record

Run No. Bit From To Size Wgt. From To

One 12.25 00 417 8.625 23# 00 417

Two 7.875 417 TD 417

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Scott City Kansas
South to Tennis Rd, 6 West, 1/2 South, West Into

Database File: lebsack_garden_city_5_12hd.db
Dataset Pathname: DIL/lebstk
Presentation Format: cdl
Dataset Creation: Thu Feb 27 19:22:52 2014
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray (GAPI)	150
6	Caliper (in)	16

30	Compensated Density (pu)		-10
2	Bulk Density (g/cc)		3
15000	Line Tension (lb)		0
2.625	DGA (g/cc)	3.425	-0.25
	Correction (g/cc)		0.25
	LSPD		(ft/min)

















