CORNISH WIRELINE SERVICES, INC.
CHANUTE, KANSAS

GAMMA RAY NEUTRON COMPLETION LOG

Company VERDE OIL COMPANY
Well CAMPBELL I-105-75
Field HUMBOLDT - CHANUTE
County ALLEN State KANSAS

Location: API # : 15-001-31157-00-00
330' FSL & 2310' FEL
-SW-SW-SE
SEC 29 TWP 26S RGE 20E

Other Services

Permanent Datum GL Elevation 993'EST
Log Measured From GL
Drilling Measured From GL

Elevation
K.B.
D.F.
G.L. 993'EST.

Date	1031-14		
Run Number	1 NW		
Depth Driller	915'		
Depth Logger	865.6'		
Top Log Interval	0		
Bottom Logged Interval	865.6'		
Fluid Level	FULL		
Type Fluid	WATER		
Production Casing	2 7/8" @ TD	@	@
Max. Recorded Temp.			
Estimated Cement Top			
Calculated Cement Top			
Amount & Type Cement			
Amount & Type Admix			
Drilling Contractor			
Equipment Number	103		
Location			
Recorded By	SOLOMON,B.		
Witnessed By	DALE,J.		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU.

Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)




		GR-TITAN_169 (TIT169_001) Titan 1 11/16" Gamma Ray	4.75	1.69	20.00
GR	7.59				
		CCL-TITAN_169 (TIT169) Titan 1 11/16" Logging CCL	1.83	1.69	7.50
CCL	5.05				
		NEU-TITAN (TIT801) TITAN 1 11/16" Neutron	4.33	1.69	25.00
NEU	0.63				


Dataset:	campbell # i-105-75.db: field/well/run1/pass1
Total Length:	10.92 ft
Total Weight:	52.50 lb
O.D.	1.69 in


Database File:	e:\campbell # i-105-75.db
Dataset Pathname:	pass1
Presentation Format:	gr-n-ccl


Dataset Creation: Fri Oct 31 12:03:28 2014 by Log Std Casedhole 09061
Charted by: Depth in Feet scaled 1:240


150	gr	300	3	CCL	0.05	100	NEU (cps)	1700
0	GR	150						




200
250
300
350
400


450
500
550
600


650
700
750
800
850
GR
CCL
NEU



150	gr	300	3	CCL0.05	100	NEU (cps) 1700
0	GR	150				

CORNISH WIRELINE SERVICES, INC.
CHANUTE, KANSAS

Company	VERDE OIL COMPANY
Well	CAMPBELL I-105-75
Field	HUMBOLDT - CHANUTE
County	ALLEN SEC. 29 TWP. 26S RGE. 20E
State	KANSAS Date 1031-14