



**COMPLETION  
& PRODUCTION  
SERVICES CO.**

**COMPENSATED  
DENSITY/NEUTRON  
LOG**

Company	ETERNITY EXPLORATION, LLC.	Company	ETERNITY EXPLORATION, LLC.
Well	WERTH FAMILY #1	Well	WERTH FAMILY #1
Field		Field	
County	SHERIDAN	County	SHERIDAN
State	KANSAS	State	KANSAS
Location:	API # : 15-179-21359-0000	Other Services	DIL/MEL
Permanent Datum	825' FNL & 2310' FEL	Elevation	K.B. 2629
Log Measured From	N/2 - SW - NW - NE		D.F. 2627
Drilling Measured From	SEC 9 TWP 10S RGE 26W		G.L. 2624
	GROUND LEVEL	Elevation	2624
	KELLY BUSHING 5' A.G.L.		
	KELLY BUSHING		

Date	5/22/14
Run Number	ONE
Depth Driller	4155
Depth Logger	4160
Bottom Logged Interval	4136
Top Log Interval	3600
Casing Driller	8 5/8" @ 222
Casing Logger	219
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.3/51
pH / Fluid Loss	8.5/10.0
Source of Sample	FLOWLINE
Rm @ Meas. Temp	.55 @ 75F
Rmt @ Meas. Temp	.41 @ 75F
Rmc @ Meas. Temp	.66 @ 75F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	.34 @ 118F
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	
Maximum Recorded Temperature	118F
Equipment Number	4010
Location	HAYS, KANSAS
Recorded By	JASON CAPPELLUCCI
Witnessed By	SCOTT ALBERG

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

**Comments**


THANK YOU FOR USING NABORS, HAYS, KS. (785) 628-6395  
DIRECTIONS:  
I 70 & QUINTER EXIT ( CASTLEROCK RD.) 10 MILES NORTH - 1/2 EAST - SOUTH INTO






**MAIN SECTION**

Database File: 24247ddn.db  
 Dataset Pathname: pass3.1  
 Presentation Format: den\_neu  
 Dataset Creation: Thu May 22 08:01:41 2014 by Calc Open-Cased 090629  
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	CALIPER (in)	16	10 (ft3)	0 30	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV		-0.25 CORRECTION (g/cc)	0.25
			0 (ft3)	10		









# REPEAT SECTION

Database File: 2424/ddn.db  
 Dataset Pathname: pass2.1  
 Presentation Format: den\_neu  
 Dataset Creation: Thu May 22 08:05:52 2014 by Calc Open-Cased 090629  
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	CALIPER (in)	16	10 (ft3)	0 30	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV		-0.25 CORRECTION (g/cc)	0.25
			0 (ft3)	10		





**Calibration Report**

Database File: 24247ddn.db  
 Dataset Pathname: pass2.1  
 Dataset Creation: Thu May 22 08:05:52 2014 by Calc Open-Cased 090629

**Dual Induction Calibration Report**

Serial-Model: PROBE8-DILG  
 Surface Cal Performed: Fri Aug 01 06:33:19 2008  
 Downhole Cal Performed: Mon Jul 28 11:08:27 2008  
 After Survey Verification Performed: Mon Jul 28 11:08:27 2008

**Surface Calibration**

Loop:	Readings			References			Results	
	Air	Loop		Air	Loop		m	b
Deep	0.015	0.648	V	0.000	400.000	mmho/m	632.616	-9.730
Medium	0.029	0.796	V	0.000	464.000	mmho/m	605.049	-17.680
Internal:	Zero	Cal		Zero	Cal		m	b
Deep	0.017	0.657	V	0.000	400.000	mmho/m	625.153	-10.619
Medium	0.016	0.757	V	0.000	464.000	mmho/m	625.992	-9.739

**Downhole Calibration**

	Readings			References			Results	
	Zero	Cal		Zero	Cal		m'	b'
Deep	0.000	0.000	mmho/m	2.011	405.777	mmho/m	1.000	0.000
Medium	0.000	0.000	mmho/m	7.590	503.393	mmho/m	1.000	0.000
LL3		7.500	V		1500.000	Ohm-m		
		0.000	V		20.000	Ohm-m		
		-7.200	V		3800.000	mmho-m		

**After Survey Verification**

	Readings			Targets			Results	
	Zero	Cal		Zero	Cal		m'	b'
Deep	0.000	0.000	mmho/m	0.000	0.000	mmho/m	0.000	0.000
Medium	0.000	0.000	mmho/m	0.000	0.000	mmho/m	0.000	0.000
LL3		1.000	Ohm-m		1.000	Ohm-m		
		0.000	Ohm-m		0.000	Ohm-m		
		1.000	mmho-m		1.000	mmho-m		

**Compensated Density Calibration Report**

Serial-Model: GEAR3-GEARHART

Source / Verifier:  
 Master Calibration Performed:  
 Before Survey Verification Performed:  
 After Survey Verification Performed:

143 / 143  
 Fri Jan 04 15:48:16 2013

Master Calibration

	Density		Far Detector	Near Detector	
Magnesium	1.710	g/cc	935.36	501.55	cps
Aluminum	2.580	g/cc	209.32	357.01	cps
Spine Angle = 77.21			Density/Spine Ratio = 0.567		
	Size		Reading		
Small Ring	8.00	in	4.29	V	
Large Ring	14.00	in	6.24	V	

Before Survey Verification

Target	Measured
g/cc	g/cc
g/cc	g/cc
g/cc	g/cc

After Survey Verification

Target	Measured
g/cc	g/cc
g/cc	g/cc
g/cc	g/cc

Compensated Neutron Calibration Report

Serial Number: 6I  
 Tool Model: G

CALIBRATION

Detector	Readings	Target	Normalization
Short Space	1.00 cps	1.00 cps	1.0000
Long Space	1.00 cps	1.00 cps	1.0000

PRE-SURVEY VERIFICATION

	Detector	Readings	Measured	Target
1)	Short Space	cps		
	Long Space	cps	pu	pu
2)	Short Space	cps		
	Long Space	cps	pu	
3)	Short Space	cps		
	Long Space	cps	pu	

POST-SURVEY VERIFICATION

	Detector	Readings	Measured	Target
1)	Short Space	cps		
	Long Space	cps	pu	pu
2)	Short Space	cps		
	Long Space	cps	pu	pu

3) Short Space  
Long Space

cps  
cps

pu

pu

Gamma Ray Calibration Report

Serial Number:	GR6	
Tool Model:	OPEN	
Performed:	Tue May 06 06:07:07 2014	
Calibrator Value:	150.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	276.0	cps
Sensitivity:	0.8035	GAPI/cps