MIDWEST SURVEYS

LOGGING - PERFORATING - CONSULTING SERVICES
P.O. Box 68, Osawatomie, KS 66064
913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No.

API# 15-001-31,085

Company Haas Petroleum, LLC.

Well Miewes No. 3-HP

Field Iola

County Allen State Kansas

Location

495' FNL & 1515' FEL
SE-NE-NW-NE

Sec. 8 Twp. 24s Rge. 19e

Permanent Datum GL Elevation 1078'
Log Measured From GL
Drilling Measured From GL

Other Services
Perforate

Elevation
K.B. NA
D.F. NA
G.L. 1078'

Date		06-24-2014					
Run Number		One					
Depth Driller		1026.0					
Depth Logger		1021.0					
Bottom Logged Interval		1020.0					
Top Log Interval		20.0					
Fluid Level		Full					
Type Fluid		Water					
Density / Viscosity		NA					
Salinity - PPM Cl		NA					
Max Recorded Temp		NA					
Estimated Cement Top		0.0					
Equipment No.	Location	102	Osawatomie				
Recorded By		Gary Windisch					
Witnessed By		John Haas					

RUN	BORE-HOLE RECORD			CASING RECORD			
No.	BIT	FROM	TO	SIZE	WGT.	FROM	TO
One	9.875"	0.0	20.0	7.00"	17.0#	0.0	20.0
Two	5.625"	20.0	1026.0	2.875"	6.5#	0.0	1024.60


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Drilling Contractor :
Town Oilfield Services, Inc.


Database File: miewes3hp.db
Dataset Pathname: pass1
Presentation Format: gr-n-ccl
Dataset Creation: Tue Jun 24 09:20:11 2014 by Log SCH 111116
Charted by: Depth in Feet scaled 1:240




50
100
150
200
250


300
350
400
CCL
Gamma Ray
Neutron
450
500


550
600
650
700
750
800


800
850
900
950
Seating Nipple
1000
06-24-2014
Perforated Interval
1008.0 - 1018.0 21 Perfs
2" DML RTG
0 Gamma Ray (cps) 150
150 Gamma Ray (cps) 300
-1 CCL 1
100 Neutron (cps)