



**COMPLETION
& PRODUCTION
SERVICES CO.**

**MICRO
LOG**

Company VINCENT OIL CORPORATION
Well MARFAM #1-32
Field FAGER EAST
County FORD
State KANSAS

Company VINCENT OIL CORPORATION
Well MARFAM #1-32
Field FAGER EAST
County FORD State KANSAS

Location: API # : 15-057-20926-0000
123' FNL & 1180' FWL
SEC 32 TWP 29S RGE 24W
Permanent Datum GROUND LEVEL Elevation 2569
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/SON
Elevation
K.B. 2581
D.F. 2579
G.L. 2569

Date	3/14/14
Run Number	TWO
Depth Driller	5466
Depth Logger	5468
Bottom Logged Interval	5450
Top Log Interval	4300
Casing Driller	8 5/8" @ 650
Casing Logger	645
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.5/58
pH / Fluid Loss	10.5/10.8
Source of Sample	FLOWLINE
Rm @ Meas. Temp	.65 @ 78F
Rmt @ Meas. Temp	.48 @ 78F
Rmc @ Meas. Temp	.78 @ 78F
Source of Rmt / Rmc	MEASUREMENT
Rm @ BHT	.39 @ 128F
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	
Maximum Recorded Temperature	128F
Equipment Number	4010
Location	HAYS, KANSAS
Recorded By	JASON CAPPELLUCCI
Witnessed By	TOM DUDGEON

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING NABORS, HAYS, KS. (785) 628-6395
DIRECTIONS:
DODGE CITY, KS. - 15 SOUTH ON HWY 283 TO YUCCA RD. - 2 1/4 EAST - SOUTH INTO





MAIN SECTION


Database File: 24010pe.db
 Dataset Pathname: pass8.2.1
 Presentation Format: _micro
 Dataset Creation: Fri Mar 14 23:01:59 2014
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		











4950


5000

5050

5100








0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





REPEAT SECTION

Database File: 24010pe.db
 Dataset Pathname: pass7.1
 Presentation Format: _micro
 Dataset Creation: Fri Mar 14 22:35:38 2014 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		







0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		

Calibration Report

Database File: 24010pe.db
 Dataset Pathname: pass7.1
 Dataset Creation: Fri Mar 14 22:35:38 2014 by Calc Open-Cased 090629

MICRO Calibration Report

Serial Number: MICRO6
 Tool Model: PROBE
 Performed: Tue Feb 25 23:12:20 2014

Caliper Calibration:	Gain=5.542	Offset=-0.820
	Low Cal	High Cal
References	8.000	14.000
Readings	1.431	2.513

1.5" Calibration:	Gain=38.075	Offset=0.000
	Low Cal	High Cal
References	0.000	20.000
Readings	0.004	1.196

2" Calibration:	Gain=44.000	Offset=-0.600
	Low Cal	High Cal
References	0.000	20.000
Readings	0.006	0.913

Gamma Ray Calibration Report

Serial Number: GR6
 Tool Model: OPEN
 Performed: Fri Nov 29 08:34:37 2013

Calibrator Value:	150.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	276.0	cps
Sensitivity:	0.6035	GAPI/cps