GAMMA RAY CEMENT BOND LOG CCL/VDL

Green Country Wireline

Company R.D. ENERGY INC
Well THOMAS #9
Field PERU-SEDAN
County CHAUTAUQUA
State KANSAS
Country USA

Company R.D. ENERGY INC
Well THOMAS #9
Field PERU-SEDAN
County CHAUTAUQUA
State KANSAS
Country USA

Location: API # : 15-019-27418

NE SW NW NE
4593' FSL & 2095' FEL
SEC 19 TWP 34S RGE 12E

Other Services

Permanent Datum — Elevation 817'
Log Measured From
Drilling Measured From

Elevation
K.B.
D.F.
G.L. 817'

Date	7-7-14		
Run Number	1		
Depth Driller	1090'		
Depth Logger	1047'		
Bottom Logged Interval	1046'		
Top Log Interval	SURFACE		
Open Hole Size	----		
Type Fluid	WATER		
Density / Viscosity	----		
Max. Recorded Temp.	----		
Estimated Cement Top	SURFACE		
Time Well Ready	----		
Time Logger on Bottom	----		
Equipment Number	3		
Location	DEWEY		
Recorded By	HERREN		
Witnessed By	MR JONES		

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String	8.625"		SURFACE	40'
Prot. String				
Production String	4.5"		SURFACE	TD
Liner				

<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


GR CBL CCL VDL


Green Country Wireline


Database File: thomas9.db
Dataset Pathname: thomas9/run1/pass1
Presentation Format: standard
Dataset Creation: Mon Jul 07 11:51:31 2014 by Log Std Case:hole 09061
Charted by: Depth in Feet scaled 1:240


Collar Locator	-1	800	TT3FT (usec)	200
Gamma Ray (GAPI)	50	-3	AMP3FT (mV)	300


200 WVF3FT 1200


Collar Locator -1
Gamma Ray (GAPI) 50
800 TT3FT (usec) 200
-3 AMP3FT (mV) 300
200 WVF3FT 1200
50
100
150
200
250


250
300
350
400
450
500


500
550
600
650
700
750


750
800
850
900
950
1000


1000
1050
Gamma Ray RD 1046'
TD 1047'
CBL RD 1035'
THOMAS # 9
Collar Locator -1
Gamma Ray (GAPI) 50
800 TT3FT (usec) 200
-3 AMP3FT (mV) 300
200 WVF3FT 1200