



NABORS

**COMPLETION
& PRODUCTION
SERVICES CO.**

**MICRO
LOG**

Company		VINCENT OIL CORPORATION	
Well	SMITH #1-8		
Field	KINGSDOWN NORTHWEST		
County	FORD	State	KANSAS
Location:	AP1 # : 15-057-20929-0000		Other Services CDL/CNL/PE DIL/SON
SEC 8 TWP 29S RGE 22W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2516
Log Measured From	KELLY BUSHING 10' A.G.L.		K.B. 2526
Drilling Measured From	KELLY BUSHING		D.F. 2524
		G.L. 2516	
Date	4/4/14		
Run Number	TWO		
Depth Driller	5450		
Depth Logger	5450		
Bottom Logged Interval	5434		
Top Log Interval	4300		
Casing Driller	8 5/8"@684'		
Casing Logger	685		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 10,500 PPM	
Density / Viscosity	9.3/90		
pH / Fluid Loss	10.5/12.8		
Source of Sample	FLOWLINE		
Rin @ Meas. Temp	.35 @ 66F		
Rinf @ Meas. Temp	.26 @ 66F		
Rinc @ Meas. Temp	.42 @ 66F		
Source of Rinf / Rinc	MEASUREMENT		
Rin @ BHT	.17 @ 129F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	129F		
Equipment Number	4854		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	TOM DUDGEON		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING "NABORS" HAYS, KANSAS (785) 628-6395
DIRECTIONS
KINGSDOWN, KS. - 1 MILE NORTH - 1/8 EAST - SOUTH & EAST INTO



**COMPLETION
& PRODUCTION**

MAIN SECTION

Database File:

23802pe.db

Dataset Pathname:

pass6.1

Presentation Format:

_micro


Dataset Creation:


Fri Apr 04 09:55:40 2014 by Calc SOC 120430

Charted by:

Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	20
0	MINMK	20	TBHV			
			0 (ft3)	10		







4500

4550

4600

4650






4700


4750

4800

4850

4900







4950

5000

5050

5100






5150


5200

5250



5300


5350





Database File: 23802pe.db
Dataset Pathname: pass5.1
Presentation Format: _micro
Dataset Creation: Fri Apr 04 09:17:08 2014 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240






5100


5150

5200

5250

5300





Calibration Report			
Database File:	23802pe.db		
Dataset Pathname:	pass6.1		
Dataset Creation:	Fri Apr 04 09:55:40 2014 by Calc SOC 120430		
MICRO Calibration Report			
Serial Number:	070911		
Tool Model:	ProbeN		
Performed:	Mon Mar 31 09:54:04 2014		
Caliper Calibration:	Gain=3.712	Offset=3.043	
	Low Cal	High Cal	
References	7.800	15.000	
Readings	1.281	3.221	

1.5" Calibration:	Gain=25.000	Offset=0.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.001	1.276
2" Calibration:	Gain=55.000	Offset=-1.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.003	1.108
Gamma Ray Calibration Report		
Serial Number:	070559	
Tool Model:	OPEN_GR	
Performed:	Mon Mar 24 02:01:13 2014	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2200	GAPI/cps