



Dual Compensated Porosity Log

Pioneer Energy Services

API No.

15-179-21,360-00-00

Company Culbreath Oil & Gas Company, Inc.

Well Coburn #6-8

Field

County Sheridan

State Kansas

Location

330' FNL & 1,650' FWL

Other Services
DIL
MEI/BHCS

Sec: 8

Twp: 10S

Rge: 26W

Elevation

Permanent Datum Ground Level Elevation 2597
Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 2604
D.F.
G.L. 2597

Date 6/13/2014

Run Number

One

Type Log

CNL / CDL

Depth Driller

4270

Depth Logger

4274

Bottom Logged Interval

4253

Top Logged Interval

3550

Type Fluid In Hole

Chemical

Salinity, PPM CL

3000

Density

9.4

Level

Full

Max. Rec. Temp. F

119

Operating Rig Time

5 Hours

Equipment -- Location

108 Hays

Recorded By

J. Henrickson

Witnessed By

Kevin Howard

Recorded By

D Fischer

Witnessed By

Anthony Luna

Recorded By

Anthony Luna

Witnessed By

Anthony Luna

Recorded By

Anthony Luna

Witnessed By

Anthony Luna

Recorded By

Anthony Luna

Witnessed By

Anthony Luna

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Pioneer Energy Services
www.pioneerres.com
785 625 3858

Quinter Ks.,
7 North to 130 Road, 1 West, 2 North, East Into.

Database File: c:\warrior\data\culbreath_coburn #6-8\culbreath_coburn_6-8hd.db
Dataset Pathname: DIL\culstk
Presentation Format: cdl
Dataset Creation: Fri Jun 13 06:33:00 2014
Charted by: Depth in Feet scaled 1:600

Charted by:			Depth in Feet scaled 1:600			
0	Gamma Ray	150	30	Compensated Density		-10
6	Caliper (GAPI)	16	2	Bulk Density		3
			15000	Line Tension		0
			2.625	DGA	3.425	-0.25
			Correction		0.25	
			LSPD			











