



Pioneer Energy Services

Borehole Compensated Sonic Log

15-171-21,050-00-00

API No.

Company **Landmark Resources, Inc.**

Well **Frick #1-5**

Field **Wildcat**

County **Scott**

State **Kansas**

Location

2280' FNL & 1469' FWL

Other Services
CNL/CDL
MEL/DIL

Sec: 5

Twp: 17S

Rge: 33W

Elevation

Permanent Datum Ground Level Elevation 3080
Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 3091
D.F.
G.L. 3080

Date

4/17/2014

Run Number

Two

Type Log

BHC Sonic

Depth Driller

4820

Depth Logger

4820

Bottom Logged Interval

4809

Top Logged Interval

250

Type Fluid In Hole

Chemical

Salinity, PPM CL

4,500

Density

9.5

Level

Full

Max. Rec. Temp. F

124

Operating Rig Time

5 Hours

Equipment -- Location

17 Days

Recorded By

C. Desaire

Witnessed By

Terry McLeod

Borehole Record

Casing Record

Run No.

Bit

From

To

Size

Wgt.

From

To

1

12.25

00

264

8.625

24#

00

264

2

7.875

264

4820

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



Thank you for using Pioneer Energy Services
www.pioneerres.com
785 625 3858



Oakley KS, S on Hwy 183 to Hwy 4,
4 W, 1 N, 3/4 W, S Into



Database File: c:\warrior\data\landmark_frick #1-5\lmhd.db
Dataset Pathname: dil\lmstk
Presentation Format: sonic
Dataset Creation: Thu Apr 17 08:47:06 2014
Charted by: Depth in Feet scaled 1:240



Charted by:		Depth in Feet scaled 1:2.16					
0	Gamma Ray	150	5	0	140	Delta Time (usec/ft)	40
150	Gamma Ray	300			30	SPOR	-10
6	Caliper (GAPI)	16			15000	LTEN (lb)	0
							LSPD











































































0	Gamma Ray	150
150	Gamma Ray	300
6	Caliper (GAPI)	16



140	Delta Time (usec/ft)	40
30	SPOR	-10
15000	LTEN (lb)	0

